

# **PHILIPPINE BIDDING DOCUMENTS**

## **PROCUREMENT OF TOOLS AND EQUIPMENT FOR SENIOR HIGH SCHOOL TVL STRAND (SARO NO. OSEC-3-22-0240)**

Government of the Republic of the Philippines

**Sixth Edition  
July 2020**

**Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>12</b>
1. Scope of Bid .....	13
2. Funding Information.....	13
3. Bidding Requirements .....	13
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	13
5. Eligible Bidders.....	13
6. Origin of Goods .....	15
7. Subcontracts .....	15
8. Pre-Bid Conference .....	15
9. Clarification and Amendment of Bidding Documents .....	16
10. Documents comprising the Bid: Eligibility and Technical Components .....	16
11. Documents comprising the Bid: Financial Component .....	16
12. Bid Prices .....	16
13. Bid and Payment Currencies .....	17
14. Bid Security .....	17
15. Sealing and Marking of Bids .....	18
16. Deadline for Submission of Bids .....	18
17. Opening and Preliminary Examination of Bids .....	18
18. Domestic Preference .....	18
19. Detailed Evaluation and Comparison of Bids .....	18
20. Post-Qualification .....	19
21. Signing of the Contract .....	19
<b>Section III. Bid Data Sheet .....</b>	<b>20</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>22</b>
1. Scope of Contract .....	23
2. Advance Payment and Terms of Payment .....	23
3. Performance Security .....	23
4. Inspection and Tests .....	23
5. Warranty .....	24
6. Liability of the Supplier .....	24
<b>Section V. Special Conditions of Contract .....</b>	<b>25</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>29</b>
<b>Section VII. Technical Specifications .....</b>	<b>30</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>56</b>

# ***Glossary of Acronyms, Terms, and Abbreviations***

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***



*Republic of the Philippines  
Department of Education  
Region III  
Schools Division of Aurora  
San Luis, Aurora, 3201 Philippines*

**INVITATION TO BID FOR  
PROCUREMENT OF TOOLS AND EQUIPMENT FOR  
SENIOR HIGH SCHOOL TVL STAND  
(SARO NO. OSEC-3-22-0240)**

1. The *Department of Education, Schools Division of Aurora, Bids and Awards Committee*, through the *downloaded funds* intends to apply the sum of **ONE MILLION FOUR HUNDRED TWENTY SIX THOUSAND SIX HUNDRED THIRTY TWO PESOS ONLY (P1,426,632.00)** being the ABC to payments under the contract for **PROCUREMENT OF TOOLS AND EQUIPMENT FOR SENIOR HIGH SCHOOL TVL STRAND (SARO NO. OSEC-3-22-0240)**.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The *Department of Education, Schools Division of Aurora, Bids and Awards Committee* now invites bids for the above Procurement Project. Delivery of the Goods is required within the scheduled date from the end user. Bidders should have completed, within *two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
4. Prospective Bidders may obtain further information from *Department of Education, Schools Division of Aurora, Bids and Awards Committee* Secretariat and inspect the Bidding Documents at the address given below from Monday to Friday from 8:00am to 5:00pm.
5. For those who are interested to purchase Bidding Documents, two (2) options are made available, to wit:
  - a. A complete set of Bidding Documents may be purchased by interested Bidders during office hours starting **AUGUST 03, 2022** until the deadline of submission of bids on **AUGUST 23, 2022** from the *Department of Education, Schools Division of Aurora, Bids and Awards Committee* Secretariat, upon accomplishing a bidder’s Information sheet (see attached) and payment of a non-refundable fee for the Bidding Documents to the DepEd Cashier.

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500,000
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00
More than 10 Million up to 50 Million	25,000.00
More than 50 Million up to 500 Million	50,000.00
More than 500 Million	75,000.00

- b. Interested Bidders may signify their intent to purchase the Bidding Documents through email [procurement.depdaurora@depd.gov.ph](mailto:procurement.depdaurora@depd.gov.ph) by accomplishing a bidder's information sheet (Annex A). Upon receipt of the bidder's information sheet, the BAC Secretariat will send through email the details of the **DepEd Aurora Trust Fund Account** for payment. Upon payment, bidders must send through email the proof of payment before the deadline for the submission of bids. Upon receipt of proof of payment, the BAC Secretariat will send the electronic copy of the bidding documents.

Payment in checks should be made payable to DepED Aurora Trust Fund.

6. The *Department of Education, Schools Division of Aurora, Bids and Awards Committee* will hold a **Pre-Bid Conference<sup>1</sup> on AUGUST 11, 2022 @ 9:30AM at BAC OFFICE and/or through video conferencing via google meet** which shall be open to prospective bidders.
  7. ***Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before AUGUST 23, 2022 @ 9:00AM.***
- Late bids shall not be accepted.**
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
  9. ***Bid opening shall be on AUGUST 23, 2022 @ 9:30 00AM at BAC OFFICE.*** Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
  10. For the purpose of constituting a quorum, both the physical and virtual presence of the BAC and TWG members shall be considered pursuant to GPPB Resolution No. 09-2020.

<sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

11. The *Department of Education, Schools Division of Aurora, Bids and Awards Committee* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

<b>PRE BID LINK</b>	<b>AUGUST 11, 2022</b>	
	<p>PREBID CONFERENCE - PROCUREMENT OF TOOLS AND EQUIPMENT FOR SENIOR HIGH SCHOOL TVL STRAND (P844,616,00 AND P1,426,632.00) Thursday, August 11 · 9:30 – 10:30am Google Meet joining info Video call link: <a href="https://meet.google.com/cxk-xtgy-vsi">https://meet.google.com/cxk-xtgy-vsi</a> Or dial: (US) +1 567-401- 0128 PIN: 801 757 337#</p>	
<b>OPENING OF BIDS</b>	<b>AUGUST 23, 2022</b>	
	<p>OPENING OF BIDS- PROCUREMENT OF TOOLS AND EQUIPMENT FOR SENIOR HIGH SCHOOL TVL STRAND, MATH AND SCIENCE (P844,616,00 AND P1,426,632.00) Tuesday, August 23 · 9:30 – 10:30am Google Meet joining info Video call link: <a href="https://meet.google.com/svo-xfma-gpy">https://meet.google.com/svo-xfma-gpy</a> Or dial: (US) +1 304-900- 3698 PIN: 275 259 302#</p>	

12. For further information, please refer to:

*SHERRA G. ESPINA*  
*Department of Education*  
*Schools Division of Aurora*  
*Bids and Awards Committee-Secretariat*  
 Email: [procurement.depedaurora@deped.gov.ph](mailto:procurement.depedaurora@deped.gov.ph)

13. You may visit the following websites:

For downloading of Bidding Documents:

*<http://www.deped-aurora.com/>*

*AUGUST 03, 2022*

*DANILO M. JACOBA*  
*BAC Chairperson*

## ***Section II. Instructions to Bidders***

## 1. Scope of Bid

The Procuring Entity, *Department of Education, Schools Division of Aurora* wishes to receive Bids for the ***PROCUREMENT OF TOOLS AND EQUIPMENT FOR SENIOR HIGH SCHOOL TVL STRAND (SARO NO. OSEC-3-22-0240)*** with identification number ***2022-08-280***.

The Procurement Project (referred to herein as “Project”) is composed of ***one lot*** the details of which are described in Section VI (Schedule of Requirements) and Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for *downloaded funds* in the amount of ***ONE MILLION FOUR HUNDRED TWENTY-SIX THOUSAND SIX HUNDRED THIRTY-TWO PESOS ONLY (P1,426,632.00)***

2.2. Source of Fund –DEPED SARO NO. OSEC-3-22-0340

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
    - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
    - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
    - iii. When the Goods sought to be procured are not available from local suppliers; or
    - iv. When there is a need to prevent situations that defeat competition or restrain trade.
  - b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
  - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: *[Select either failure or monopoly of bidding based on market research conducted]*
    - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies* of the ABC for this Project; and

- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.

- b. Subcontracting is not allowed.

7.2. The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.

7.3. *[If subcontracting is allowed during the contract implementation stage, state:]*  
The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.

7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

## 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in the **IB** and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.



## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within, *as provided in the IB* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## 12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

a. For Goods offered from within the Procuring Entity's country:

- i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS**.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in the **BDS**.

### 13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in:

- a. Philippine Pesos.

### 14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

---

<sup>2</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

- 14.2. The Bid and bid security shall be valid until *120 CD reckoned from the opening of bids. Any bid not accompanied by an acceptable bid security shall be rejected* by the Procuring Entity as non-responsive.

## **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as one lot.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

### ***Section III. Bid Data Sheet***

# Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <p style="text-align: center;"><b><i>TOOLS AND EQUIPMENT FOR TECHNICAL VOCATIONAL LIVELIHOOD STRAND</i></b></p> <p>a. completed within 2 years prior to the deadline for the submission and receipt of bids.</p>
7.1	<p>Subcontract Subcontracting is allowed. The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the BDS, which shall not exceed twenty percent (20%) of the contracted Goods.</p>
12	<p>The price of the Goods shall be quoted DDP at <i>Gabaldon Building, Baler Central School, Baler, Aurora.</i></p>
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>a. The amount of not less than _____ <i>[Indicate the amount equivalent to two percent (2%) of ABC]</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</p> <p>b. The amount of not less than _____ <i>[Indicate the amount equivalent to five percent (5%) of ABC]</i> if bid security is in Surety Bond.</p>

## ***Section IV. General Conditions of Contract***

## **1. Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## **2. Advance Payment and Terms of Payment**

- 2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## **3. Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

## **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.



All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>The delivery terms applicable to this Contract are at <b><i>Gabaldon Building, Baler Central School, Baler, Aurora</i></b>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements), the detailed delivery schedules and the distribution list.</p> <p>Upon delivery of the Goods to the Delivery Site, the Supplier shall notify DepEd LRMS, Supply Office and Inspectorate Team.</p> <p>For purposes of this Clause the DepEd’s Representative at the Delivery Site is the Division Supply Officer, Inspectorate team or any other personnel authorized by the appropriate DepEd Field Officials (i.e. RD, SDS)</p> <p>In case the Supplier encounters conditions impeding timely delivery of the Goods, it must promptly notify DepEd in writing of such conditions. As a rule, and on account of the emergency nature of this project, no work suspensions and/or contract delivery period extension shall be permitted.</p>

	<p><b>Packaging –</b></p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Contract Description</p> <p>Final Destination</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Insurance –</b></p>

	<p>The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by DepEd.</p> <p><b>Transportation –</b></p> <p>Transport of the Goods shall be arranged by the Supplier, and related costs shall be included in the contract price</p> <p><b>DepEd</b> accepts no liability for the damage of Goods during transit. Risk and title will not be deemed to have passed to DepEd until its receipt and final acceptance at the final destination, through its authorized receiving personnel.</p>
	<p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>

## ***Section VI. Schedule of Requirements***

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<b>Item Number</b>	<b>Description</b>	<b>Quantity</b>	<b>Total</b>	<b>Delivered, Weeks/Months</b>
1	PROCUREMENT OF TOOLS AND EQUIPMENT FOR SENIOR HIGH SCHOOL TVL STRAND (SARO NO. OSEC-3-22-0240)	1	LOT	30 Calendar Days  TO BE DELIVERED AT SDO AURORA
	***nothing follows***			

## ***Section VII. Technical Specifications***

## Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>

### TVL LIST OF ITEMS BY SPECIALIZATION WITH TECHNICAL SPECIFICATIONS P1,426,632.00

Item Name	TVL Specialization	Functional Specification	Performance Specification	Design Specification:
<b>CAREGIVING</b>				
CRUTCHES (ADJUSTABLE)	CAREGIVING NC II			1 CASE MATERIAL: HARD PLASTIC (PE) POLYETHYLENE 2 SET INCLUDES: 3 PCS/SET



				3 MATERIAL ALUMINUM POWDER-COATED 4. ANY COLOR 5. WEIGHT CAPACITY: 300LBS. (MIN) 6. DIMENSIONS: YOUTH SIZE 7. USER HEIGHTS: 4 FT. 6 INCHES TO 5 FT. 2 INCHES 8. UNDERARM HEIGHT: 37 INCHES TO 46 INCHES 9. ADULT SIZE: USER HEIGHTS: 5 FT. 2 INCHES TO 5 FT. 10 INCHES 10. UNDERARM HEIGHTS: 45 INCHES TO 53 INCHES 11. TALL ADULT SIZE: USER HEIGHTS: 5 FT. 10 INCHES 12. UNDERARM HEIGHT: 53 INCHES TO 61 INCHES 13. THE ITEM MUST BE OF GOOD QUALITY
COMMODE	CAREGIVING NC II			1 TYPE: FOLDABLE COMMODE 2. DURABLE PLASTIC SNAP – ON SEAT AND LID WITHOUT PUSHING BUTTONS 3. BLUE POWDER – COATED STEEL – WELDED CONSTRUCTION 4. PLASTIC ARMS FOR ADDED COMFORT 5. COMES COMPLETE WITH 12 QT. COMMODE BUCKET WITH CARRY HANDLE, COVER AND SPLASH SHIELD. 6. SPECIFICATIONS: WIDTH 18 INCHES BETWEEN ARMS/22.5 INCHES OUTSIDE APPROXIMATE 7. SEAT DIMENSIONS: W 32-36 CM X D 35-40 CM, HEIGHT 38-54 CM APPROXIMATE 8. WEIGHT 13LBS, WEIGHT LIMIT 350 LBS 9. THE ITEM MUST BE BRANDED AND HAVE GOOD QUALITY
COMFORTER	CAREGIVING NC II			1 TYPE: COMFORTER 2. MATERIAL: POLYESTER 3. COLOR: ANY COLOR 4. DIMENSION: (L X W) 84 TO 88 INCHES X 62 TO 65 INCHES (MINIMUM) 5. THICKNESS: 20 – 30 MM (MINIMUM) 6. WASHABLE 7. THE ITEM MUST BE OF GOOD QUALITY
VACUUM CLEANER				
FLAT SHEET	CAREGIVING NC II			1 TYPE: BEDSHEET 2. MATERIAL: 100% COTTON 3. COLOR: WHITE

				4. DIMENSION: WIDTH 137-145 CM LENGTH – 180-200 CM (MIN) 5. WASHABLE 6. THE ITEM MUST BE OF GOOD QUALITY
BOTTLE STERILIZER, ELECTRIC	CAREGIVING NC II			1 TYPE: ELECTRIC STEAM STERILIZER 2. MATERIAL: HARD PLASTIC (PE) POLYETHYLENE OR ITS EQUIVALENT 3. COLOR: ANY COLOR 4. CAPACITY: 6 BOTTLES (MIN) 5. STERILIZES BOTTLES AND ACCESSORIES BY STEAM 6. WITH AUTOMATIC POWER SHUT-OFF FUNCTION 7. DIMENSIONS: ** 8. POWER SUPPLY: 220 V – 240 V AC, 50/60 HZ 9. THE ITEM MUST BE OF GOOD QUALITY
BABY BLANKET	CAREGIVING NC II			1 TYPE: BLANKET 2. MATERIAL: 100% COTTON 3. COLOR: WHITE 4. DIMENSION: (L X W) 38 TO 42 INCHES X 28 TO 32 INCHES (MIN) 5. WASHABLE 6. THE ITEM MUST BE OF GOOD CONDITION
ANEROID SPHYGMOMANOMETER AND STETTHOSCOPE	CAREGIVING NC II			
DIGITAL THERMOMETER	CAREGIVING NC II			1 CASE MATERIAL: HARD PLASTIC (PE) POLYETHYLENE 2. COLOR: ANY COLOR 3. RANGE: 32 C – 42.9 C (90.0F – 109.9F) 4. ACCURACY: $\pm 0.1^{\circ}\text{C}$ 35.5C-42.0C ( $\pm 0.2^{\circ}\text{F}$ 95.9F-107.6F) 5. BATTERY OPERATED 6. MEMORY: LAST MEASURING READING 7. ALARM: APPROX 10 SECONDS SOUND SIGNAL WHEN PEAK TEMPERATURE REACHED 8. THE ITEM MUST BE OF GOOD QUALITY
DRESSING TROLLEY	CAREGIVING NC II			1 MATERIAL: SHELVES: POWDER-COATED STEEL SHEET 2. DIMENSIONS: (W X D X H) 48 – 50 CM X 48 – 50 CM X 83 – 85 CM MIN 3. NUMBER OF SHELVES: 2 4. WITH FOUR REVOLVING CASTORS, TWO LOCKABLE 5. THE ITEM MUST BE OF GOOD QUALITY
PILLOW	CAREGIVING NC II			1 MATERIAL: COTTON 2. COLOR: ANY COLOR

				3. DIMENSIONS: (L X W) 50 -56 CM X 75-80 CM (MIN) 4. WITH 4 INCHES HEMS 5. WASHABLE 6. THE ITEMS MUST BE OF GOOD QUALITY
PILLOW CASE	CAREGIVING NC II			1 MATERIAL: COTTON 2. COLOR: ANY COLOR 3. DIMENSIONS: (L X W) 50 -56 CM X 75-80 CM (MIN) 4. WITH 4 INCHES HEMS 5. WASHABLE 6. THE ITEMS MUST BE OF GOOD QUALITY
DISPOSABLE LATEX GLOVES (SURGICAL)	CAREGIVING NC II			1 MATERIAL: LATEX 2 COLOR: WHITE 3. THICKNESS: .09 MM (MIN) 4. DISPOSABLE AND STERILE 5. THE ITEM MUST BE OF GOOD CONDITION
ELECTRIC KNIFE	CAREGIVING NC II			1 TYPE: ELECTRIC KNIFE 2. MATERIAL: STAINLESS STEEL AND HARD PLASTIC (PE) POLYETHYLENE 3. POWER SUPPLY: 220/240 VOLTS, AC 50/60 HZ 4. DIMENSIONS: 4.25 X 2.75 X 11.88 INCHES (MIN) 5. COMES WITH TOUCH BUTTON CONTROL, SAFETY LOCK AND ENGLISH USER MANUAL 6. COMES IN ENGLISH MANUAL THAT CONTAINS: USER GUIDE, LIST OF PARTS, MAINTENANCE GUIDE, SAFETY GUIDE 7. THE ITEM MUST BE BRANDED AND OF GOOD QUALITY
MEDICAL TRAY	CAREGIVING NC II			1 TYPE: TRAY 2. MATERIAL: STAINLESS STEEL 3. DIMENSION: (L X W X D) 300 – 350 MM X 200 – 250 MM X 12-19 MM. (MIN) 4 THICKNESS: .7 TO 1 MM (MIN) 5. THE ITEM MUST BE OF GOOD QUALITY
HIGH CHAIR/BOOSTER SEAT/PORTABLE SEAT	CAREGIVING NC II			1 MATERIAL: FOLDABLE POWDER COATED STEEL FRAME OR ITS EQUIVALENT 2. PHONE TYPE: CORDED 3. POLYESTER HARNESS, SEAT/BACK CUSHION 4. OVERALL DIMENSIONS (L X W X H): 65-75 CM X 50-60 CM X 90-102 CM (MIN) 5. CAPACITY: 40 LBS (MIN) 6. WITH 3 POSITION SEAT RECLINE 7. THE ITEM MUST BE OF GOOD QUALITY

HOSPITAL GOWN	CAREGIVING NC II			1 TYPE: UNISEX HOSPITAL GOWN 2. MATERIAL: POLYESTER-COTTON 3. COLOR: ANY COLOR 4. SIZE: ONE SIZE FITS ALL 5. COMES WITH OVERLAP BACK CLOSURE 6. THE ITEM MUST BE OF GOOD QUALITY
WHEELCHAIR	CAREGIVING NC II			1 TYPE: FOLDABLE WHEEL CHAIR 2. MATERIAL: STAINLESS STEEL 3 OVERALL DIMENSIONS: (L X W X H) 300-350 MM X 200 X 250 MM X 12-19 MM (MIN) 4. THICKNESS: .7 TO 1 MM (MIN) 5. THE ITEM MUST BE OF GOOD QUALITY
AIRPOT	CAREGIVING NC II			1 TYPE: WATER HEATER 2. OUTER MATERIAL: HARD PLASTIC, (PP) POLYPROPYLENE, HEAT RESISTANT 3 CAVITY MATERIAL: STAINLESS STEEL 4. CAPACITY: 2.5 LITERS 5. VOLTAGE: 220/240 WATTS 6. AC 50/60 HZ. POWER IN WATTS: 500 TO 800 WATTS 7. COMES WITH ENGLISH MANUAL THAT CONTAINS: USER GUIDE, LIST OF PARTS, MAINTENANCE GUIDE, SAFETY GUIDE 8. THE ITEM MUST BE BRANDED AND GOOD QUALITY
CANE	CAREGIVING NC II			1 TYPE: ADJUSTABLE OFFSET WALKING CANE 2. MATERIAL: ALUMINUM 3. TIP SIZE: 18 4. HEIGHT ADJUSTMENT: 31 INCHES TO 39 INCHES (WITH 1 INCH INCREMENT) 5. WEIGHT CAPACITY: 200 – 250 LBS (MIN) 6. WITH RUBBER HANDLE; WITH PUSH-BUTTON HEIGHT ADJUSTMENT 7. THE ITEM MUST BE OF GOOD QUALITY
URINAL	CAREGIVING NC II			1. TYPE: UNISEX PORTABLE URINAL 2. MATERIAL: HARD PLASTIC, (PP) POLYPROPYLENE 3. COLOR: ANY COLOR 4. TOTAL CAPACITY: 28 OZ. MIN 5. DIMENSION: (L X W X H) 270 TO 290 MM X 145 TO 160 MM X 70 TO 80 MM (MIN) 6. THICKNESS: 1 MM TO 3 MM (MIN) 7. THE ITEM MUST BE OF GOOD QUALITY

BED PAN	CAREGIVING NC II			1 MATERIAL: HARD PLASTIC, (PS) POLYSTYRENE 2. COLOR: ANY COLOR 3. DIMENSION: (L X W XH) 22-26 CM X 27-32CM 7-12 CM (MIN) APPROXIMATE 4. CAPACITY: 1 LITER (MIN) 5. THICKNESS: 2 TO 5 MIN 6. SADDLE-SHAPED AND LIGHTWEIGHT 7. THE ITEM MUST BE OF GOOD QUALITY
RUBBER GLOVES (15 MILS)	CAREGIVING NC II	MUST BE ABLE TO PROTECT AND COMFORT HANDS AGAINST COLD OR HEAT, DAMAGE BY FRICTION AND ABRASION OR CHEMICALS	PROTECTS THE WEARER AND SERVE AS PERSONAL PROTECTIVE EQUIPMENT	MEDIUM SIZE (#8), SUPER NITRILE, FLOCKLINED INTERIOR (ACID/SOLVENT RESISTANT), INDIVIDUALLY PACKED, FOR HAND PROTECTION
BATH TOWEL				
BASIN (SMALL)	CAREGIVING NC II			1 MATERIAL: HARD PLASTIC (PP) POLYPROPYLENE 2. COLOR: ANY 3. DIMENSION: 280-320 MM DIAMETER X 80-120 MM HIGH (MIN) 4. WALL THICKNESS: 2 MM TO 4 MM (MIN) 5. THE ITEM MUST BE OF GOOD QUALITY
BABY BATH TUB	CAREGIVING NC II			1 MATERIAL: HARD/STURDY PLASTIC, (PP) POLYPROPYLENE 2. COLOR: ANY 3. DIMENSION: (L X W X H) 670 TO 700 MM X 400 TO 420 MM X 160 TO 190MM (MIN) 4. THICKNESS: 3MM TO 6MM (MIN) 5. THE ITEM MUST BE OF GOOD QUALITY
<b>ANIMATION</b>				
LIGHTBOX (WITH ANIMATION DISC/PEG BAR)	ANIMATION	AID IN DRAWING IMAGES/ILLUSTRATION. THE ILLUSTRATOR CAN EASILY ROTATE OR TILT THE DRAWING PAPER AS NEEDED AND VIEW DRAWING IN HIGH CONTRAST WITH THE HELP OF THIS DEVICE	THE ITEM SHOULD ACCOMMODATE THE DESIGNATED PAPER SIZE: ROTATE SMOOTHLY AND EASILY WHEN ASSEMBLED WITH THE LIGHT BOX; PROVIDE ILLUMINATION	SET INCLUDES: 1 UNIT ANIMATION DISC WITH THE FOLLOWING SPECIFICATIONS: MATERIAL: 3/8" THICK (MIN) ACRYLIC PLASTIC, TRANSLUCENT, WITH SMOOTH SURFACE AND EDGES CAPACITY: CAN ACCOMMODATE UP TO 16F (FIELD) SIZE PAPE; INCLUDES 2 PIECES STANDARD-SIZED PEG BAR WITH 2 FINGER HOLES POSITIONED OPPOSITE EACH OTHER; ANIMATION DISC MUST FIT WITH THE PROVIDED LIGHT BOX.

				<p>1 UNIT LIGHT BOX WITH THE FOLLOWING SPECIFICATIONS:          TYPE: EASEL-TYPE, CAN BE FOLDED FLAT, ADJUSTS TO ANY ANGLE UP TO 45 DEGREES;          DIMENSIONS: 23" X 24" X 4 (MIN)          MATERIAL: A. KILN-DRIED HARDWOOD FRAME          B. WHITE LAMINATED TOP, ¾ THICK (MINIMUM) WITH CENTER HOLE THAT FITS WITH THE PROVIDED ANIMATION DISC;          THE ITEM MUST NOT HAVE SHARP EDGES OR ROUGH SURFACE;          LIGHTNING TYPE: 15 WATTS LED (PREFERABLY) FLOURESCENT LAMP WITH SWITCH; INPUT VOLTAGE: 220 TO 240 V AC; WITH USER'S MANUAL IN ENGLISH WHICH INCLUDES A. DIAGRAM OF THE PARTS WITH THEIR NAMES, ASSEMBLY INSTRUCTIONS AND OPERATING PROCEDURES;          COMES WITH PLASTIC/CARTON STORAGE BOX/CASE.</p>
PEN TABLET 4" X 6"	ANIMATION	USE TO DRAW A PICTURE ONTO A COMPUTER SCREEN WITH A FLAT, TOUCH SENSITIVE PAD AND A DRAWING DEVICE, EITHER A PEN OR STYLUS (WITHOUT HAVING TO USE A MOUSE OR KEYBOARD)	MUST ENABLE A USER TO HAND-DRAW IMAGES, ANIMATIONS AND GRAPHICS, WITH A SPECIAL PEN-LIKE STYLUS IN A COMPUTER INPUT DEVICE.	<p>4 X 6 INCH WRITING PAINTING GRAPHICS BOARD PAN WITH BATTERY-FREE PEN TYPE:          GRAPHICS TABLET 8192 (MIN) LEVEL HIGH-PRESSURE SENSITIVITY MAKES YOU DRAW THE SMOOTHER LINE 5080LPI (MIN) RESOLUTION MAKES THE IMAGE MORE VIVID, ENSURES THE COLOR'S ACCURACY 230 RPS (MIN) TRACKING SPEED ENSURES EVEN THE LIGHTEST AND FASTEST PEN STROKES ARE ACCURATELY CAPTURED          THICKNESS: 2MM (MIN) COMPATIBLE WITH WINDOWS, MAC SYSTEMS.          WORK WELL WITH ADOBE PHOTOSHOP, PHOTOSHOP CC, SAI, ILLUSTRATOR, 3D MAX, AUTODESK SKETCHBOOK, COREL PAINTER, AUTODESK MAYA, PIXOLOGIC, ZBRUSH, METAL OR HARD PLASTIC CASING, BATTERY OPERATED (MOBILE) ,INTERFACE TYPE: USB SMOOTH SURFACE AND NO SHARP EDGES USERS MANUAL (ENGLISH) ON NAMES OF PARTS, USERS GUIDE, WRITING CONNECTION, SAFETY PRECAUTIONS AND MAINTENANCE CARTON BOX PACKAGING</p>
PENCIL SHARPENER	ANIMATION	SHARPEN PENCILS	SHARPEN PENCILS WITH A GIVEN DIAMETER BY HAND-CRANKING	<p>TYPE: HAND-CRANKED, TABLE-MOUNTABLE WITH METAL CLAMP, SINGLE CUTTER HEAD          MATERIAL: METAL CASE, STAINLESS STEEL CUTTER</p>

				MUST ACCOMMODATE 6-8 MM DIAMETER PENCILS AUTO FEED AND AUTO STOP. WITH TRANSLUCENT PENCIL SHAVING BIN. CARTON BOX PACKAGING. DIMENSION: 4.5 X 2.9 X 5 INCHES (MIN). THE ITEM MUST HAVE SMOOTH SURFACE AND NO SHARP EDGES EXCEPT CUTTING BLADE.
1TB EXTERNAL HARD DRIVE	ANIMATION	USED TO STORE MEDIA LOCATED OUTSIDE OF A COMPUTER THAT IS CONNECTED THROUGH A USB CABLE OR WIRELESS CONNECTION THAT A USER NEEDS TO BE PORTABLE, FOR BACKUPS, AND WHEN THE INTERNAL DRIVE OF THE COMPUTER IS ALREADY AT ITS FULL MEMORY CAPACITY	MUST BE ABLE TO STORE MEDIA CONNECTED THROUGH A USB CABLE THAT NEEDS TO BE STABLE, FOR BACKUPS AND HAS ADDITIONAL MEMORY CAPACITY	1TB PORTABLE/EXTERNAL HARD DRIVE APPLICATION: LAPTOP/DESKTOP PC INTERFACE TYPE: SATA II INSTALLATION: MOBILE FORMATTED CAPACITY: 1000 GB (WINDOWS DISPLAY ABOUT 298 GB) SIZE (MM): 14.29 X 80.01 X 17.60 (APPROX) METAL/PLASTIC CASING COMES WITH USB 3.0 CABLE (18 INCHES MINIMUM) USER'S MANUAL (ENGLISH) ON NAME OF PARTS, USER'S GUIDE, WIRING CONNECTION, SAFETY PRECAUTIONS AND MAINTENANCE
<b>COOKERY</b>				
BAIAN MARIE (FOOD WARMER TABLE)	COOKERY	USED AS A FOOD WARMING APPLIANCE THAT CAN KEEP PRE COOKED FOOD READY TO EAT FOR EXTENDED PERIODS.	SHOULD BE EFFICIENT TO USE, WITH GENTLE AND EVEN HEAT, EASY TO SWAP OUT PANS EVEN DURING THE FOOD SERVICE AND CAN MAINTAIN A SPECIFIC TEMPERATURE TO KEEP THE FOOD HOT.	TYPE: BAIN MARIE TABLE (FOOD WARMER) BODY SHAPE: RECTANGULAR MATERIAL: 304 STAINLESS STEEL, 0.8 MM THICK (MINIMUM) DIMENSIONS: LENGTH-1500 MM X WIDTH-700MM X HEIGHT-800 MM (MINIMUM) POWER SOIUCE: VOLTAGE: 220 VOLTS - 230 VOLTS, 50 HZ/ 60 HZ WITH ROYAL CORD 1.5 METER LONG WITH ATTACHMENT STANDARD TYPE A MALE PLUG OR PROVIDE PLUG ADOPTER 10A/220V POWER: 1500 WATTS (MINIMUM) HEATER: U SHAPED HEAT PIPES, HIGH EFFICIENT CAPACITY 4 PANS: L X W X D: (530 MM X 325 MM X 150 MM (MINIMUM) AND LIDS TEMPERATURE RANGE: 20-110 DEGREES CENTIGRADE PRECISE TEMPERATURE CONTROL SWITCH AND PILOT BULB DRAIN VALVE WITH ATTACHED GATE VALVE 1/2 INCH NO ROUGH SURFACES AND ROUGH EDGES ACCESSORIES: 4 PCS PANS WITH LID PREFERABLY WITH PACKING CASE COMES WITH AN ENGLISH MANUAL THAT

				<p>CONTAIN: OPERATION GUIDE, SAFETY GUIDE, MAINTENANCE / TROUBLESHOOTING PROCEDURE. THE OFFERED BRAND OF THE ITEM MUST BE AN INTERNATIONAL BRAND WITH AT LEAST 5 YEARS PRESENCE AT THE LOCAL MARKET AND GLOBAL PRESENCE IN THE USA, EUROPE OR JAPAN MARKET. WARRANTY PERIOD OF 1 YEAR (PARTS) AND 3 YEARS (SERVICE) WITH SERVICE CENTERS LOCATED IN MAJOR CITIES IN THE PHILIPPINES</p>
MEAT SLICER	COOKERY	USED IN BUTCHER SHOPS AND DELICATESSENS TO SLICE MEATS, SAUSAGES, CHEESES, AND OTHER DELI PRODUCTS.	SHOULD BE A VERSATILE TOOL WITH BLADE GUARD AND SUCTION GRIP BOTTOM WHICH ENSURE THE SLICER SECURELY IN PLACE DURING OPERATION, WITH ADJUSTMENT SLICING/ CUTTING THAT CAN SLICE MEAT PRECISELY MUCH	<p>TYPE: MEAT SLICER            BODY SHAPE: CIRCULAR            HOUSING MATERIAL: DIE CAST ALUMINUM ALLOY AND BODY PAINTED            DIMENSIONS: WIDTH-40.5 CM X DEPTH- 45.7 CM X HEIGHT- 38 CM (MINIMUM)            STAINLESS STEEL ROTARY BLADE DIAMETER: 190 MM (MINIMUM)</p>
BLENDER	COOKERY	MUST BE ABLE TO BLEND, MIX AND EXTRACT JUICE FROM FRUITS AND VEGETABLES.	SHOULD HAVE SHARP ICE CRUSHING BLADE, HEAT RESISTANT GLASS JAR, NONSLIP BASE FOR A SUCCESSFUL BLENDING AND MIXING TASKS	<p>TYPE: BLENDER MACHINE            BODY SHAPE: ROUND JAR            MATERIAL HOUSING: PLASTIC (POLYPROPYLENE)            JAR HEIGHT : 25 CM TO 28 CM            JAR THICKNESS: 4 MM TO 8 MM            HEAT RESISTANT GLASS JAR WITH COVER            SOURCE VOLTAGE: 220 VOLTS / 240 VOLTS, 50 HZ / 60 HZ WITH POWER CORD 1.5 METER LONG WITH ATTACHMENT OF STANDARD TYPE A MALE PLUG OR PROVIDE PLUG ADAPTER 10A/220V.            POWER WATTAGE: 300 TO 700 WATTS            BLADE: STAINLESS STEEL, 3 TO 4 METAL BLADES            CAPACITY: 1.5 LITERS TO 2 LITERS WITH 5 TO 10 PUSH BUTTON SPEED SETTING WITH PULSE CONTROL SWITCH            PREFERABLY WITH PACKING CASE WITH ENGLISH MANUAL THAT CONTAIN: OPERATION GUIDE, MAINTENANCE AND TROUBLESHOOTING PROCEDURE WITH SERVICE CENTERS LOCATED IN MAJOR CITIES IN THE PHILIPPINES.</p>



				THE OFFERED BRAND OF THE ITEM MUST BE AN INTERNATIONAL BRAND WITH AT LEAST 5 YEARS PRESENCE AT THE LOCAL MARKET AND GLOBAL PRESENCE IN THE USA, EUROPE OR JAPAN MARKET. WARRANTY PERIOD OF 1 YEAR (PARTS AND SERVICE)
CART UTILITY	COOKERY	MUST BE A DEVICE WITH WHEELS USED TO TRANSPORT HEAVY THINGS SUCH AS SHOPPING OR LUGGAGE.	SHOULD BE MULTI-FUNCTION, HIGHLY DURABLE, VERSATILE, COMPACT SIZE WITH 3 SHELVES.	TYPE: UTILITY CART BODY SHAPE: RECTANGULAR MATERIAL: PLASTIC, POLYPROPYLENE(PP) DIMENSION: (L X W X H) 84 CM X 43 CM X 95 CM (MINIMUM) CAPACITY: 330 LBS (150 KG) LOADS (MINIMUM) THREE (3) SHELVING WITH AT LEAST 25 CM DISTANCE BETWEEN SHELVES TUB SHELF MEASURE (L X W X D) 84 CM X 43 CM X 7 CM (MINIMUM) WITH FOUR (4) SWIVEL CASTER, 10 CM DIAMETER, TWO WHICH HAVE LOCKING BRAKES PREFERABLY WITH A PACKING CASE EASY GRIP HANDLES ON EACH END OF CART NO SHARP EDGES AND ROUGH SURFACES
CHEF KNIFE	COOKERY	MUST BE ONE OF THE MOST ESSENTIAL TOOLS IN THE KITCHEN RESPONSIBLE FOR PREPARING INGREDIENTS, CUTTING, CHOPPING, SLICING AND MINCING MEAT, FRUITS AND VEGETABLES.	S SHOULD BE STRAIGHT CUTTING EDGE AND DESIGNED FOR EASY HANDLING, LONG LASTING DURABILITY AND RESISTANT AGAINST RUST AND CORROSION.	TYPE: CHEF'S KNIFE BODY SHAPE: FLAT MATERIALS: STAINLESS STEEL OVERALL LENGTH: 30 CM (MINIMUM) BLADE SIZE: LENGTH - 20 CM X WIDTH-4 CM (MINIMUM) BLADE THICKNESS: 2.5 MM (MINIMUM) CUTTING EDGE: STRAIGHT, POINTED END HANDLE: TRIPLE RIVETED PLASTIC (POLYPROPYLENE)
CASSEROLE MEDIUM	COOKERY	MUST BE USED FOR COOKING AND AS A SMALL SERVING VESSEL.	SHOULD BE WITH CLEAR GLASS LID, DURABLE, SAFE, WITH COMFORTABLE GRIP HANDLE DESIGNED FOR EASY EVERYDAY COOKING.	TYPE: CASSEROLE POT BODY SHAPE: ROUND MATERIAL: STAINLESS STEEL, 0.7 MM THICK DIMENSION: DIAMETER- 20 CM X HEIGHT -12 CM (MINIMUM) TEMPERED GLASS LID WELDED HANDLE ON BOTH SIDES, SIZE: 7.5 CM (MINIMUM) HANDLE DIAMETER: 8 MM TO 10 MM PREFERABLY WITH PACKING CASE DISHWASHER SAFE
STOCK POT	COOKERY	USED FOR COOKING STEWS, PORRIDGE, BOILED FOODS, STEAMED SHELLFISH AND A VAST VARIETY OF RECIPES.	SHOULD BE OF HIGH QUALITY MIRROR POLISHED STAINLESS STEEL MATERIAL WITH THICK ALUMINUM CORE, OF	TYPE: STOCK POT, LARGE BODY SHAPE ROUND MATERIAL: STAINLESS STEEL, 0.8 MM THICK (MINIMUM) TOP DIAMETER 30 CM (MINIMUM) HEIGHT: 31 CM (MINIMUM) CAPACITY: 20 QUARTS (22.7 LITERS) OVEN SAFE TO 350°F AND

			GREAT VERSATILITY USED FOR MANY COOKING PURPOSES.	DISHWASHER SAFE. WITH ALUMINUM DISC LAYER IN BOTTOM FOR EVEN HE (5 MM ALUMINUM CORE) COMES WITH COVER AND TWO REINFORCED STAINLESS STEEL HANDLE ON BOTH SIDES PREFERABLY WITH A PACKING CASE DISHWASHER SAFE
FIRE EXTINGUISHER	COOKERY	USED TO EXTINGUISH OR CONTROL SMALL FIRES , OFTEN IN EMERGENCY SITUATIONS .	MUST BE ABLE TO STOP OR CONTROL FIRES WHEN IN USED .	1.FOR TYPE A, B, C FIRE: DRY CHEMICALS (MONOAMMONIUM PHOSPHATE) 2.PORTABLE TYPE 3.CAPACITY : 5 - 6 KGS 4.RECHARGEABLE CYLINDER METAL 5.WORKING PRESSURE OF CYLINDER : 400 PSI 6.BRASS VALVE WITH PRESSURE GAGE 7.WITH RUBBERIZED HOSE AND ALUMINUM NOZZLE ATTACHED 8.WITH SQUEEZE LEVER TO DISCHARGE AND SAFETY PIN
PLATE RACK	COOKERY	USED AS A DISH STORAGE OR TO DISPLAY A FINE COLLECTION OF PLATES.	SHOULD BE A COMPACT DISH RACK WITH NON SLIP RUBBER FOOTING, HIGH QUALITY STAINLESS STEEL, CAN BE AN EXCELLENT DRAINER STORAGE ORGANIZER.	T YPE: PLATE RACK BODY SHAPE: RECTANGULAR MATERIAL: 304 STAINLESS STEEL DIMENSION: LENGTH-475 MM X WIDTH- 290 MM X HEIGHT- 380 MM (MINIMUM) HEAVY DUTY WIRE SHELVING, 2.6 MM DIAMETER (MINIMUM) TUBULAR POST DIAMETER: 20 MM THICK (MINIMUM) DRAWER TYPE DRAINER TRAY: (L X W X H) 430 MM X 250 MM X 20 MM (MINIMUM) PREFERABLY WITH A PACKING CASE WITH 2 TIER DISH DRYING RACK WITH NON-SLIP RUBBER FOOTING MUST BE BRANDED
KITCHEN SCISSOR	COOKERY	USED FOR CUTTING AND TRIMMING FOODS SUCH AS MEAT AND CAN BE USED FOR OTHER FOOD PREPARATION	SHOULD BE OF DURABLE STAINLESS STEEL BLADE AND ERGONOMIC DESIGN HANDLE WITH ABS PLASTIC MATERIAL WHICH ENABLE THE USER TO EXERT A PRECISION GRIP.	TYPE: KITCHEN SCISSOR BODY SHAPE: ERGONOMIC BLADE MATERIAL: STAINLESS STEEL, 2 MM THICK HANDLE MATERIAL HEAVY DUTY ACRYLONITRILE BUTADIENE STYRENE (ABS) PLASTIC OVERALL LENGTH: 20 CM (MINIMUM ) WIDTH: 7.5 CM (MINIMUM) BLADE SIZE: LENGTH- 9 CM X WIDTH- 1.5 CM (MINIMUM) PREFERABLY WITH A PACKING CASE THE PLASTIC MATERIAL USED MUST BE NON-TOXIC MUST BE BRANDED
ROASTING PAN	COOKERY	USED FOR ROASTING LARGE CUTS OF MEAT IN AN OVEN, EITHER WITH OR WITHOUT VEGETABLES OR OTHER INGREDIENTS	SHOULD BE A LARGE OVEN SAFE DISH FITTED WITH A RACK THAT PROMOTES EVEN HEATING AND ALLOWING THE PAN DRIPPINGS TO FALL THROUGH THE RACK,	TYPE: ROASTING PAN BODY SHAPE: RECTANGULAR MATERIAL: STAINLESS STEEL DIMENSION: LENGTH: 40 CM X WIDTH-35 CM X HEIGHT -7 1/2CM (MINIMUM) THICKNESS: 1.5 MM THICK (MINIMUM)

			SO SAFE TO USE, DURABLE AND CAPABLE OF QUALITY ROASTING TASKS.	WELDED HANDLES ON BOTH SIDES
GLASS RACK	COOKERY	USED TO KEEP GLASSES SAFE DURING THE WASHING, STORAGE AND TRANSPORT ACTIVITIES	SHOULD BE ECONOMICAL, WITH INDIVIDUAL COMPARTMENTS, MADE OF NON TOXIC MATERIAL, CAN EFFICIENTLY MOVE GLASSWARE FROM ONE LOCATION TO THE NEXT	TYPE: GLASS RACK BODY SHAPE: SQUARE MATERIAL: POLYPROPYLENE PLASTIC OVERALL DIMENSIONS: LENGTH - 19 1/2 INCHES X WIDTH - 19 1/2 INCHES X HEIGHT - 4 INCHES (MINIMUM) COMPARTMENTS: FULL-SIZE 25 INDIVIDUAL COMPARTMENT GLASS RACK COMPARTMENT DIMENSIONS: LENGTH - 3 1/2 INCHES X WIDTH - 3 1/2 INCHES X HEIGHT - 4 INCHES (MINIMUM) EASY GRIP HANDLES MOLDED INTO ALL FOUR SIDES PREFERABLY WITH A PACKING CASE THE PLASTIC MATERIAL USED MUST BE NON-TOXIC
FOOD PROCESSING				
BRIX REFRACTOR	FOOD PROCESSING	MUST BE USED AS AN OPTICAL PRECISION INSTRUMENT WHICH DETERMINES THE DENSITY OF A LIQUID BY THE INDEX OF REFRACTION.	SHOULD BE STURDY, METAL BODY MADE OF DURABLE ALUMINUM, WITH DUAL SCALE (BRIX SCALE AND SPECIFIC GRAVITY SCALE) FOR EASIER AND MORE ACCURATE MEASUREMENT OF SUGAR CONTENTS.	TYPE: BRIX REFRACTOMETER BODY SHAPE: TUBULAR BODY MATERIAL: ALUMINUM OVERALL LENGTH: 175 MM (MIN) MEASURING RANGE: BRIX 0.2 % MINIMUM DIVISIONS: BRIX 0.2% ACCURACY: BRIX: + 0.2% AUTOMATIC TEMPERATURE COMPENSATION RANGE: 0 °C ~ 30 °C ACCESSORIES: SET INCLUDE ATC REFRACTOMETER, PIPETTES, MINI SCREW DRIVER, PROTECTIVE CARRYING CASE AND USER'S MANUAL
FOOD PROCESSOR (SET WITH ACCESSORIES)	FOOD PROCESSING	MUST BE USED TO QUICKLY PERFORM FOOD PREPARATION TASKS TRADITIONALLY CARRIED OUT BY HAND	SHOULD BE OF STAINLESS STEEL CUTTING DISC FOR SLICING, CHOPPING AND SHREDDING FOR EASY FOOD PROCESSING AND PREPARATION	TYPE: FOOD PROCESSOR BODY SHAPE: ROUND BODY MATERIAL: HARD PLASTIC, POLYPROPYLENE, FOOD GRADE DIMENSIONS: HEIGHT 377 MM WIDTH 244MM DEPTH 244 MM (MIN) LIQUIDIZING JAR CAPACITY: 1.5 LITERS (MIN) BOWL CAPACITY WITH LID: 2.0 LITERS (MIN) RATED VOLTAGE: 220 VOLTS – 230 VOLTS, 50 HZ/60 HZ WITH POWER CORD 1.5 METER LONG WITH ATTACHMENT STANDARD TYPE A MALE PLUG OR PROVIDE PLUG ADAPTER 10A/220V, POWER RATING: 450 WATTS (MIN), NUMBER OF SPEED RATINGS: 3 SPEED
VACUUM PACK MACHINE	FOOD PROCESSING	MUST BE ABLE TO REMOVE AIR FROM THE PACKAGE PRIOR TO SEALING AND CAN DO AUTOMATIC VACUUM	SHOULD BE EASY TO OPERATE, SHOULD HAVE A BUILT-IN CUTTER DOUBLE SEALING LINE FOR A	TYPE: VACUUM PACK MACHINE BODY SHAPE: RECTANGULAR

		FORMING OF GRANULAR MATERIALS	HASTLE FREE REMOVAL OF AIR FROM THE PACKAGE BEFORE THE SEALING PROCEDURE	MATERIAL: STAINLESS STEEL HOUSING DIMENSION: LENGTH 390 MM X WIDTH 160 MM X HEIGHT 85 MM (MIN) RATED VOLTAGE: 220/230 VOLTS, 60 HZ WITH POWER CORD 1.5 METER LONG WITH ATTACHMENT OF STANDARD TYPE A MALE PLUG OR PROVIDE PLUG ADAPTER 10A/220V, POWER RATING: 110 WATTS (MIN)
MEAT GRINDER	FOOD PROCESSING	MUST BE USED FOR CHOPPING AND OR MIXING OF RAW OR COOKED MEAT, FISH, VEGETABLES OR SIMILAR FOOD ALSO KNOWN AS MEAT MINCERQ	SHOULD HAVE VARIOUS STEEL CUTTING PLATES FOR COARSE, MEDIUM, FINE GRINDING OF MEATM WITH POWERFUL AND DURABLE MOTOR FOR QUALITY MINCING OF MEAT	TYPE: MEAT GRINDER BODY SHAPE: RECTANGULAR BODY MATERIAL: CAST ALUMINUM BODY DIMENSIONS: L-34CM X W – 27CM X H -37 CM (MIN) RATED VOLTAGE: 220 VOLTS/230 VOLTS, 60 HZ WITH POWER CORD 1.5 M LONG WITH ATTACHMENT STANDARD TYPE A MALE PLUG OR PROVIDE PLUG ADAPTER 10A/220V, POWER RATING: 650 WATTS (MIN) GRINDING CAPACITY: 60 KG PER HOUR TWO (2) SPEED: FAST (GRINDING) AND SLOW (STUFFING) GRINDER PLATES HOLE SIZES: 5/32 INCHES (3.9 MM) ¼ INCHES (6.3MM)
WEIGHING SCALE (50 KILOS)	FOOD PROCESSING	USED FOR WEIGHING ON MANUFACTURING FARMING AND FOOD PROCESSING	SHOULD HAVE A METAL BODY COATED WITH ANTI MICROBIAL SYSTEM WITH STAINLESS STEEL FLAT FORM OF BALANCE WITH 50 KILOGRAMS WEIGHING CAPACITY	TYPE: MECHANICAL SPRING SCALE BOSY SHAPE: RECTANGULAR WITH FLAT PAN MATERIAL: STAINLESS STEEL FLAT FORM AND METAL BODY (COATED) FLAT FORM SIZE: 200 MM X 200 MM (MIN) STAINLESS STEEL PLATE COLOR: ANY COLOR MECHANISM TYPE: SPRING LEVER CAPACITY: 50 KILOGRAMS MEASUREMENT UNITS: GRAM/KILOGRAM CALIBRATE THE SCALE USING THE ADJUSTMENT KNOB, MANUAL SETTING ON ZERO, MUST BE ACCURATE AND DURABLE PREFERABLY WITH A PACKING CASE
STEAMER (BIG)	FOOD PROCESSING	USED TO COOK OR PREPARE VARIOUS FOODS WITH STEAM HEAT BY MEANS OF HOLDING THE FOOD IN THE CLOSED VESSEL	SHOULD BE OF GOOD QUALITY STAINLESS STEEL STEAMER WITH MULTI-FUNCTIONAL 3 LAYERS FOR FASTER	TYPE: STEAMER, BIG BODY SHAPE: ROUND MATERIAL: STAINLESS STEEL, 0,7 MM THICK (MIN) DIAMETER: 45 CM (MIN) HEIGHT PER LAYER: 12 CM (MIN) NUMBER OF LAYERS: 3 LAYERS

		REDUCING STEAM ESCAPE	COOKING OF HEALTH ORIENTED FOODS	COMES WITH HANDLE BOTH SIDE AND GLASS COVER WITH KNOB INCLUDES: STRAIGHT-SIDED STOCKPOT, DOUBLE BOILER AND STEAMER INSERT PREFERABLY WITH A PACKING CAS, DISHWASHER SAFE, MUST BE BRANDED
SMOKE HOUSE (ELECTRIC)	FOOD PROCESSING	USED TO SMOKE SLOW COOKED MEATS BY CHECKING ON THEM CONSTANTLY AND BY OBSERVING THE TEMPERATURE THROUGHOUT THE COOKERY PROCESS PROVIDING A HANDS OF TECHNIQUE	SHOULD BE WITH AUTOMATIC SMOKE GENERATOR, FOUR ADJUSTABLE LAYER GRILL, LED DISPLAY IN CONTROL PANEL AND CLEAR GLASS DOOR FOR EASY MONITORING OF THE SMOKING PROCESS	TYPE: ELECTRIC SMOKE HOUSE BODY SHAPE: RECTANGULAR MATERIAL: STAINLESS STEEL DIMENSIONS: HEIGHT 40 INCHES X WIDTH 23 INCHES X DEPTH 16 INCHES (MIN) RATED VOLTAGE: 220 VOLTS – 230 VOLTS/50 HZ -60 HZ WITH POWER CORD 1.5 METER LONG WITH ATTACHMENT OF STANDARD TYPE A MALE PLUG OR PROVIDE PLUG ADAPTER 10A/220V POWER RATING: 1000 WATTS (MIN) CONTROL PANEL WITH LED DISPLAY MAXIMUM TEMPERATURE UP TO 400 °F WITH THERMOSTAT
<b>BREAD AND PASTRY PRODUCTION</b>				
DOUBLE BROILER (2 LITERS)	BREAD AND PASTRY PRODUCTION	ESSENTIAL KITCHEN COOKWARE, HANDY TWO IN ONE POT MUST BE PERFECT FOR MELTING CHOCOLATE OR CHEESE, CANDY MAKING AND EVERYDAY SAUCE PAN	SHOULD BE EASY TO USE AND EASIER TO WHISK, STIR SAUCES, ETC.	MATERIAL: STAINLESS STEEL THICKNESS: 1/16 INCH (1.5 MM) (MIN) LID MATERIAL: GLASS RIVETED HANDLE ON BOTH SIDE DIAMETER: 9 ½ INCHES (MIN) TOTAL HEIGHT: 9.4 INCHES (MIN) INSET BOTTOM DIAMETER: 9 INCHES (MIN) INSET TOP DIAMETER: 9 INCHES (MIN) CAPACITY: 2 LITERS (MIN) MUST BE A SET WHICH INCLUDES ONE (1) SAUCEPAN, ONE (1) BOILER AND ONE (1) LID WITH STAINLESS STEEL HANDLE AND SMOOTH SURFACES WITH NO SHARP EDGES
CAKE STAND WITH TIER	BREAD AND PASTRY PRODUCTION	MUST BE UTILIZED FOR CAKES, CANDIES, DESSERTS, BREAD,	SHOULD BE REUSABLE AND DURABLE, IDEAL FOR	TYPE: CAKE STAND WITH TIER, FOOD GRADE BODY SHAPE: CIRCULAR WITH 3 TIER

		FRUIT AND OTHER DISPLAYS	PARTY WEDDING, OTHER FESTIVAL	<p>MATERIAL: HARD PLASTIC, POLYPROPYLENE, 4 MM THICK</p> <p>THE TIER CONSISTS OF THE FOLLOWING SIZES:</p> <p>TIER 1: 18 CM DIAMETER (MIN)</p> <p>TIER 2: 25 CM DIAMETER (MIN)</p> <p>TIER 3: 30 CM DIAMETER (MIN)</p> <p>COLUMN DIAMETER: 20 TO 30 MM (SOLID)</p> <p>DISTANCE BETWEEN TIERS: 15 CM</p> <p>OVER-ALL LENGTH: 30 CM (MIN)</p> <p>ASSEMBLED COLUMN IS USED TO MAXIMUM STRENGTH AND STABILITY OF THE STAND, MUST BE PACKED IN SET, SMOOTH AND NO SHARP EDGES</p>
CAKE TURN TABLE	BREAD AND PASTRY PRODUCTION	MUST BE USED FOR DECORATING BAKED TREATS PERFECTLY	WITH NON-SLIP SURFACE ON TOP OF THE PLATFORM CAST ALUMINUM PLATE CAN KEEP CAKE IN PLACE WHILE DECORATING	<p>TYPE: TURN TABLE</p> <p>BODY SHAPE: CIRCULAR</p> <p>MATERIAL: CAST ALUMINUM PLATE AND CAST IRON BASE</p> <p>UPPER PLATE: 30 CM DIAMETER (MIN) AND 1.4 CM THICKNESS (MIN)</p> <p>TOTAL HEIGHT: 10 CM TO 15 CM</p> <p>TURNTABLE WITH BALL BEARING TO TURN EASIER</p> <p>PREFERABLY PACKED IN ANY KIND OF PACKAGING</p> <p>COMES WITH NO SHARP EDGES TO ROTATE SMOOTHLY IN 360 DEGREES CLOCKWISE OR COUNTER CLOCKWISE</p>
CHOPPING BOARD SET, 6 COLORS	BREAD AND PASTRY PRODUCTION	MUST BE USED IN CHOPPING DAILY NECESSITIES, AGRICULTURAL, INDUSTRIAL ACTIVITIES	SHOULD BE OF HIGH AND LOW TEMPERATURE RESISTANCE, DURABLE AND LIGHTWEIGHT FOR QUALITY CHOPPING TASKS	<p>TYPE: GOOD GRADE</p> <p>BODY SHAPE: RECTANGULAR</p> <p>MATERIAL: PLASTIC (POLYPROPYLENE) FOOD GRADE</p> <p>BOARD SIZE: LENGTH: 38CM (MIN)</p> <p>WIDTH: 30 CM (MIN)</p> <p>THICKNESS: 1.27CM (MIN)</p> <p>COLOR-CODED FOR USE WITH DIFFERENT TYPES OF FOOD, BLUE, RED, YELLOW, GREEN, BROWN AND WHITE</p> <p>PREFERABLY PACKED IN SET</p> <p>COMES WITH NO SHARP EDGES AND WITH HOLE FOR STORAGE PURPOSES</p>
DOUGH CUTTER	BREAD AND PASTRY PRODUCTION	MUST BE GREAT FOR QUICK AND SHARP DIVIDING OF BREAD DOUGH	CAN EASILY CUT, SHAPE AND LIFT DOUGH, IDEAL FOR MAKING UNIFORM SIZED BREAD ROLLS AND BUNS WITH MINIMAL EFFORT	<p>TYPE: SCAPPER</p> <p>BODY SHAPE: STRAIGHT BLADE</p> <p>MATERIAL: STAINLESS STEEL STRAIGHT BLADE WITH STAINLESS STEEL HANDLE BLADE</p> <p>DIMENSION: LENGTH: 15 CM X WIDTH 11 CM X THICKNESS: 1.2 MM (MIN)</p> <p>HANDLE DIMENSION: LENGTH 15CM X DIAMETER: 3 CM (MIN)</p>

				PREFERABLY WITH PACKAGING CASE FOOD GRADE AND DISHWASHER SAFE DESIGN ALLOWS ITEM TO BE HUNG FOR STORAGE
FLOUR SIFTER, HAND CRANKED	BREAD AND PASTRY PRODUCTION	MUST BE USED TO MAKE THE SIFTED FLOUR LIGHTER AND EASIER TO MIX WITH OTHER INGREDIENTS WHEN MAKING BATTER OR DOUGH	WITH FEATURES LIKE STAINLESS STEEL CONSTRUCTION WITH HIGH POLISHED BODY AND HANDLE WHICH REQUIRES ONLY ONE HAND TO OPERATE	TYPE: HAND CRANKED BODY SHAPE: ROUND SHAPE MATERIAL: STAINLESS STEEL DIMENSION: DIAMETER: 133.3 MM (MIN) X HEIGHT: 165 MM (MIN) THICKNESS: 0.79 MM (MIN) (BODY) AND CONSTRUCTED WITH STAINLESS STEEL WIRE MESH #30 VOLUME MARKINGS SHOULD BE SEEN INSIDE AND OUTSIDE OF THE SIFTER CAPACITY: 5 CUPS (1.18 LITER) SPRING ACTION SQUEEZE HANDLE STAINLESS STEEL PREFERABLY WITH A PACKING CASE, DISHWASHER SAFE
DECORATING TIPS	BREAD AND PASTRY PRODUCTION	MUST BE UTILIZED IN DECORATING OR PIPING PASTRY DOUGH, MASHED POTATOES, CAKE, CUPCAKE, ETC.	CAN RESIST RUSTS FOR CONTINUED PERFORMANCE YEAR AFTER YEAR, ALL PIECES ARE SEAMLESS	TYPE: TUBE TIPS BODY SHAPE: NOZZLES WITH DIFFERENT SHAPE MATERIAL: STAINLESS STEEL TUBE HEIGHT: 3.5 CM TO 5 CM TUBE DIAMETER: 2 CM TO 3.5 CM THICKNESS: 0.5 MM (MIN) TUBE TIP: ASSORTED DESIGNS (CREATE SWIRLS, ROSETTES, FLOWERS. ROPING, STARS, LEAVES AND OTHER DESIGNS, COMES WITH 24 DIFFERENT SHAPES OF NOZZLES PACKED IN PLASTIC STORAGE BOX, SMOOTH AND DEFORMITIES FREE, MUST BE BRANDED
COUPLER				
GRATER WITH PLASTIC HANDLE	BREAD AND PASTRY PRODUCTION	MUST BE EXCELLENT FOR EASY AND QUICK GRATING AND SLICING OF ALL COMMON TYPES OF GOODS	SHOULD BE MADE OF HIGH GRADE STAINLESS STEEL, ERGONOMIC HANDLE OF RESISTANT PLASTIC FOR SAFETY GRATING TASKS.	TYPE: FOUR SIDED BOX GRATER BODY SHAPE: BOX IN SHAPE MATERIAL: STAINLESS STEEL BLADE AND PLASTIC (POLYPROPYLENE HANDLE) GRATER DIMENSIONS: HEIGHT-25 CM X WIDTH-13 CM X DEPTH-10 CM (MIN) SIDE 1: LARGE-HOLE SHREDDER WITH 6 MM HOLE SIDE 2: SLICER SIDE 3: SMALL HOLE SHREDDER WITH 3 MM HOLE SIDE 4: GRATER WITH STRIPS ABOUT 1.27 CM TO 2.54 CM IN LENGTH PREFERABLY WITH PACKING CASE, FOOD GRADE & DISHWASHING SAFE
<b>HOUSEKEEPING</b>				
BED, QUEEN	HOUSEKEEPING	USED FOR RELAXING, SLEEPING, ETC.	MUST BE RIGID, STABLE AND ABLE TO PROVIDE	BED SET, QUEEN SIZE (60 X 75 INCH) RECTANGULAR

			RELAXING/SLEEPING COMFORT	1 FRAME: KNOCK-DOWN TYPE, ALL STEEL, POWDER COATED INCLUDING HEAD BOARD, BARE WEIGHT: 20 KG (MIN) NO WOUBLE AND NOISE 2. COMES WITH FABRIC COVERED FOAM 6 INCHES THICK FOAM DENSITY: 29-33 KG/CU.M. 3. NO SHARP EDGES
BED, SINGLE	HOUSEKEEPING	USED FOR RELAXING SLEEPING ETC.	MUST BE RIGID, STABLE AND ABLE TO PROVIDE RELAXING/SLEEPING COMFORT	BED, SINGLE SIZE (W36 X L75 INCH) RESTANGULAR 1 FRAME: KNOCK-DOWN TYPE, ALL STEEL, POWDER COATED INCLUDING HEAD BOARD, BARE WEIGHT: 13 KG (MIN) NO WOUBLE AND NOISE 2. COMES WITH FABRIC COVERED FOAM 6 INCHES THICK FOAM DENSITY: 29-33 KG. CU.M. 3. NO SHARP EDGES
POLISHER, FLOOR, ELECTRIC, WITH ACCESSORIES	HOUSEKEEPING	USED TO CLEAN FLOOR	MUST BE ABLE TO SCRUB AND POLISH FLOORS, SUCH AS HARDWOOD, MARBLE, TITL OR LINOLEUM WITH MINIMAL EFFORT	ELECTRIC FLOOR POLISHER WITH ACCESSORIES MATERIAL: STAINLESS STEEL, ALUMINUM ALLOY HANDLE: STAINLESS TUBE, ADJUSTABLE HEIGHT 1 METER LONG (APPROX) WITH DUAL SWITCH LEVER SIZE/CAPACITY: 13 INCH (MIN) DIAMETER POWER SUPPLY: 220/240 VAC, 50/60 HZ. POWER: 1/3 HP (MIN) ROTATION SPEED: 160 RPM (MIN) HEAVY DUTY (ROYAL) POWER CORD LENGTH: 12 METERS (MIN) WITH TYPE A PLUG (OR PROVIDING 10A PLUG ADAPTER IS AN OPTION) WITH PAIR OF RUBBER WHEELS
SPRAY GUN, WATER	HOUSEKEEPING	USED TO SPRAY LIQUID LIKE WATER	MUST BE ABLE TO SPRAY LIQUID LIKE WATER AS THE TRIGGER IS SQUEEZED	BARBER/SALON SPRAY GUN MATERIAL: HDPE TRANSPARENT PLASTIC CAPACITY: 300 ML (MIN)
STEP LADDER	HOUSEKEEPING	MUST BE ABLE TO USE ON CLIMBING UP FOR DOWN DURING TRIMMING OR CUTTING TREES	HOLDS WEIGHT UP TO 250 POUNDS	MATERIAL: ALUMINUM U CHANNEL CAPACITY: 250 LBS (MIN) TYPE: PLATFORM TYPE NUMBER OF STEP: 6 (INCLUDING TOP STEP) REACH HEIGHT: 6 TO 8 FEET (MIN)
VACUM CLEANER, DRY AND WET	HOUSEKEEPING	USED TO CLEAN SURFACES FROM DUST, DIRT AND LIQUID.	MUST BE ABLE TO SUCK AND CONTAIN DUST, DIRT, LIQUID AND EVEN SCREWS FROM SURFACES LIKE FLOORS, UPHOLSTERY AND DRAPES	ELECTRIC VACUUM CLEANER, WET AND DRY FUNCTION, SUCKS EVEN SCREWS, WITH 4 SWIVEL CASTER WHEELS MATERIAL : HARD PLASTIC, (ABS) OR RUST PROOF BODY EQUIVALENT POWER SUPPLY : 220/240VAC, 50/60HZ, 1000 WATTS (MINIMUM) AUTO SHUT OFF TANK CAPACITY : 20 LITERS (MINIMUM)



				EQUIPPED WITH COMPLETE ACCESSORIES I.E., DETACHABLE VACUUM HOSE ASSEMBLY (FLEXIBLE NON-KINK), EXTENSION TUBES/WANDS, CARPET (LONG SQUARE) BRUSH NOZZLE, WET AND DRY FLOOR BRUSH NOZZLE, CREVICE NOZZLE, HEPA FILTER, SPONGE FILTER/WASHABLE CLOTH BAG. COMES WITH 4 METERS (MINIMUM) HEAVY DUTY (ROYAL) POWER CORD, MOLDED MALE PLUG TO ADAPT TYPE A OUTLET (OR PROVIDING 10A PLUG ADAPTER IS AN OPTION) SMOOTH SURFACE, NO SHARP EDGES WITH USER'S MANUAL WRITTEN IN ENGLISH THAT CONTAINS OPERATING
COFFEE MAKER	HOUSEKEEPING	USED TO BREW COFFEE	MUST BE ABLE TO MAKE BREWED COFFEE WITH CAPACITY OF ATLEAST 6 CUPS	COFFEE MAKER, ELECTRIC MATERIAL: METAL. PLASTIC, GLASS CAPACITY: 6 CUPS (MIN) DETACHABLE TANK WITH WATER LEVEL INDICATOR NON-STICK WARMING PLATE: REMOVABLE AND WASHABLE FILTER
FAN, ELECTRIC	HOUSEKEEPING	USE FOR COOLING AND DRYING	MUST BE ABLE TO PRODUCE AIR FLOW AND MUST BE RIGID AND STABLE WHEN IN USED	STAND FAN, ELECTRIC MATERIAL: METAL, PLASTIC SIZE: DIAMETER: 18 INCHES POWER RATING; 70 WATTS (MIN), 220/240 VAC, 50/60 HZ, SINGLE PHASE ROTATION ANGLE: 90 DEGREES BASE: STABLE, 16 INCHES DIAMETER (APPROX) REMOVABLE METAL GUARD ON FRONT AND REAR 3 SPEED-SETTING COMES WITH 1.5 METERS POWER CORD AND WITH MOLDED MALE PLUG
ELECTRIC KETTLE	HOUSEKEEPING	USED FOR HEATING LIQUID LIKE WATER	MUST BE ABLE TO HEAT LIQUID LIKE WATER TO BOIL IN LESS TIME	ELECTRIC KETTLE CORDLESS (WITH POURING SPOUT) HINGED LID, DETACHABLE FROM AND CAN ROTATE ON ITS CORDED BASE MATERIAL: ROUND STAINLESS BODY, PLASTIC HANDLE, LID AND BASE CAPACITY: 1.5 TO 2 LITER AUTOMATIC SHUT-OFF, WITH POWER INDICATOR LIGHT POWER RATING: 220/240 VAC, 50/60 HZ, 1000-1600 WATTS BASE WITH A 50 CM (MINIMUM) POWER CORD, MOLDED MALE PLUG TO ADAPT TYPE A OUTLET (OR PROVIDING 10A PLUG ADAPTER IS AN OPTION)

HOUSEKEEPING CART	HOUSEKEEPING	USED TO CARRY CLEANING TOOLS AND EQUIPMENT	MUST BE ABLE TO CARRY AND MOVE CLEANING TOOLS AND EQUIPMENT WITH MINIMAL EFFORT	HOUSEKEEPING CART TROLLEY EQUIPPED WITH THREE-SHELVES WITH STEEL/LAMINATED PANELS SINGLE DOOR, TOP LAYER WITH DIVIDER, BAG HOLDER, AND 4 WHEELS CART FRAME: STEEL, POWDER COATED WHEELS: 2NON-SWIVEL 2 SWIVEL, 6 INCH DIAMETER, NON-MARKINGS OVERALL DIMENSIONS : RECTANGULAR 90 X 48 X 1010 CM (MINIMUM) COMES WITH ACCESSORY LINEN BAG SMOOTH SURFACE, NO SHARP EDGES
BOARD IRONING	HOUSEKEEPING	A LONG NARROW BOARD COVERED WITH SOFT MATERIAL AND HAVING FOLDING LEGS, ON WHICH CLOTHES, SHEETS, ETC. ARE IRONED	MUST BE ABLE TO IRON CLOTHES, SHEETS, ETC. UP TO ITS MAXIMUM PERFORMANCE WITH 32 INCHES BOARD SIZE	TYPE: FOLDABLE TYPE IRONING BOARD BODY SHAPE: STANDARD MATERIAL: 25MM TUBING APPROX., 0.8 MM THICKNESS BOARD SIZE: 32 INCHES (MAX) BODY SIZE: 120 CM X 30 CM X 5 CM) COLOR: ANY COMES WITH BOX NO SHARP EDGES
CARPET SWEEPER	HOUSEKEEPING	USED TO CLEAN CARPET FLOOR	MUST BE ABLE TO CLEAN CARPET FLOORS FAST WITH MIN EFFORT	CARPET SWEEPER, CORDLESS ELECTRIC MOTORIZED SINGLE BRUSH ROLL (REMOVABLE) BODY MATERIAL: HARD PLASTIC (ABS) OR ITS EQUIVALENT, ANY COLOR EQUIPPED WITH RECHARGABLE BATTERY (16 MINUTES RUN TIME ON CARPET) REMOVABLE DIRT BOX SWEEP WIDTH: 8 INCHES (MIN) CAPACITY (VOLUME): 0.35 LIT (MIN) HANDLE: METAL, POWDER-COATED, WITH PLASTIC/RUBBER GRIP, SWIVEL STEERING
FIRE EXTINGUISHER (WITH CONTENTS)	HOUSEKEEPING	USED TO EXTINGUISH OR CONTROL SMALL FIRES, OFTEN IN EMERGENCY SITUATIONS	MUST BE ABLE TO STOP OR CONTROL FIRES WHEN IN USED	1 FOR TYPE A,B,C FIRE: DRY CHEMICALS (MONOAMMONIUM PHOSPHATE) 2. PORTABLE TYPE 3. CAPACITY: 5-6 KGS 4. RECHARGABLE CYLINDER METAL 5. WORKING PRESSURE OF CYLINDER: 400 PSI 6. BRASS VALVE WITH PRESSURE GAGE 7. WITH RUBBERIZED HOSE AND ALUMINUM NOZZLE ATTACHED 8. WITH SQUEEZE LEVER OT DISCHARGE AND SAFETY PIN 9. PAINTED WITH METAL PRIMER AND RED ENAMEL PAINT

				10. INCLUDES WITH USER'S GUIDE IN ENGLISH
SQUEEGEE	HOUSEKEEPING	USED TO CLEAN FLAT SURFACE	MUST BE ABLE TO SPRAY LIQUID LIKE WATER AS THE TRIGGER IS SQUEEZED	SQUEEGEE, SHORT HANDLE HEAD/BLADE MATERIAL: STAINLESS, RUBBER HANDLE: PLASTIC OR STAINLESS STEEL BLADE LENGTH: 25 – 30 CM OVERALL LENGTH (HANDLE AND HEAD) 20 -32 CM NO SHARP EDGES
MIRROR	HOUSEKEEPING	USED TO FORM IMAGES	MUST BE ABLE TO FORM IMAGES	WALL MIRROR WITH FRAME FLAT GLASS MIRROR, 2 MM THICK (MIN) CLEAR WITH NO DISTORTION FRAME: WOOD OR PLASTIC COMMERCIAL FINISH RECTANGULAR SHAPE, 3600 SQ.CM (MIN)
<b>AGRICULTURAL CROPS PRODUCTION</b>				
SHEARS, PRUNING	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO CUT PLANT STEMS AND HARD SHRUB BRANCHES	CUTS THE ABOVE-MENTIONED UP TO 1 INCH	BLADE MATERIAL: FORGED STEEL CUTTING CAPACITY: 1 INCH (MIN) TOTAL LENGTH 7 INCHES MIN WITH NON SLIP GRIP HANDLE MUTIFUNCTIONAL LABOR TYPE PACKED WITH SHIPPING CARTON BOX
SPRAYER, KNAPSACK	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO SPRAY FUNGICIDES OR INSECTICIDES WITH A SPRAYER BEING CARRIED ON HIS BACK AND EQUIPPED WITH PRESSURED NOZZLE	SPRAY AND USE LARGE AREA OR TALLER TREES	MATERIAL: STAINLESS STEEL CAPACITY: 4 GALLONS TO 5 GALLONS BACK PACK TYPE OPERATING/WORKING PRESSURE RANGE: 2-4 BARS (15-60 PSI) COMES WITH COMPLETE ACCESSORIES INCLUDING THE NOZZLE, RUBBER HOSE, CONNECTORS PUMPING LEVER AND SHOULDER STRAPS. WITH USER'S MANUAL IN ENGLISH WHICH INCLUDES: A. PARTS MANUAL WITH LABELS B. ASSEMBLY INSTRUCTIONS C. OPERATING PROCEDURES D. SAFETY PRECAUTIONS WHEN USING THE EQUIPMENT, WARRANTY PERIOD OF PARTS AND SERVICE: 1 YEAR PACKED WITH SHIPPING CARTON BOX, BRANDED
SPINKLER	AGRICULTURAL CROPS PRODUCTION	USED FOR WATERING PLANTS	WATERING PLANTS WITH ATLEAST WE LITERS CAPACITY	MATERIAL: HARD PLASTIC, 1.5 MM THICK (MIN) CAPACITY: 12 LITERS (MIN) COMES WITH HANDLE AND SPOUT, NON TOXIC, BRANDED
SOIL MOISTURE METER	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO MEASURE MOISTURE CONTENT OF THE SOIL	MEASURED SOIL MOISTURE FROM 7% UP TO 35%	BODY MATERIAL: HARD PLASTIC PROBE LENGTH: 9 CM MIN

				<p>WITH PH, LIGHT AND MOISTURE READOUT SCALE PH METER, VALUE RANGES FROM 3.5 TO 8, MOISTURE HUMIDITY VALUE RANGES FROM 1 TO 10 COMES WITH STORAGE BOX, WITH USER'S MANUAL IN ENGLISH WHICH INCLUDES:</p> <ul style="list-style-type: none"> <li>A. PARTS MANUAL WITH LABELS</li> <li>B. OPERATING PROCEDURE ON HOW TO USE THE EQUIPMENT</li> <li>C. SAFETY PRECAUTION WHEN USING THE EQUIPMENT</li> <li>D. BASIC TROUBLE SHOOTING AND MAINTENANCE PROCEDURE</li> </ul>
STEP LADDER	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO USE ON CLIMBING UP OR DOWN DURING TRIMMING OR CUTTING TREES	HOLDS WEIGHT UP TO 250 POUNDS	<p>MATERIAL: ALUMINUM U CHANNEL CAPACITY: 250 LBS (MIN) TYPE: PLATFORM TYPE NUMBER OF STEP: 6 (INCLUDING TOP STEP) REACH HEIGHT: 6 TO 8 FEET (MIN) WIDTH: 15 INCHES MIN SPREAD: 4 FEET (MIN) TWIN STEPS WITH GRIPPED TREADS TO PREVENT SLIPPING STEP BRACES ON TOP AND BOTTOM STEP, HEAVY DUTY ALUMINUM FOOT BRACKET WITH SLIP-RESISTANT FOOT PAD WITH USER'S MANUAL IN ENGLISH WHICH INCLUDES: A. PARTS MANUAL WITH LABELS, B. ASSEMBLY INSTRUCTIONS, BRANDED</p>
BOLO				
HOE, LIGHT (DIGGING TOOL)	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO REMOVE WEEDS AND LOOSEN SOIL	CULTIVATES SOIL OR VEGETABLE BEDS	<p>HOE: MATERIAL: CARBON STEEL, 1 1/6 INCH THICK (MIN) DRAW HOE TYPE HOE LENGTH: 6 1/2 INCH (MIN) HOE WIDTH: 4 1/2 INCH (MIN) LENGTH: ATLEAST 48 INCHES HANDLE: HARD WOOD BRANDED</p>
KNIFE, BUDDING (CUTTING TOOLS)	AGRICULTURAL CROPS PRODUCTION	USED BY HORTICULTURIST TO CREATE A BUDDING OR GRAFT UNION IN PLANTS	THE BUDDING KNIFE HAS A CURVED EDGE AND A BLUNT END FOR OPENING THE BARK AND INSERTING THE BUD EASILY	<p>TYPE: BUDDING BODY SHAPE: MATERIAL BLADE: STAINLESS STEEL THICKNESS: 1 MM (MIN) BLADE LENGTH: 6 CM (MIN) OVERALL LENGTH: 17 CM (MIN) WITH A FOLDING BRASS LIFTER AND PLASTIC HANDLE, NO SHARP EDGES EXCEPT THE BLADE, PACKAGING OPTIONAL</p>
SHOVEL				

PICK MATTOCK (DIGGING TOOL)	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO BREAK UP HARD EARTH AS WELL AS STONES AND ROCKS IN THE GROUND	CULTIVATES OR DIGS THE HARD GROUND WITH TWO POUNDS HEAD CAPACITY	MATERIAL: FORGED CARBON STEEL BLADE: 2 INCHES (MIN) PICK AXE LENGTH = 6 INCHES (MIN) HEAD CAPACITY (PERMANENTLY ETCH ON THE HEAD): 2.0 POUNDS WITH WOODEN HANDLE, HANDLE LENGTH: 20 INCHES (MIN) THE HEAD MUST BE PRESS FITTED FOR MAXIMUM SAFETY BEANDED
HEDGE SHEAR	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO CUT, TRIM, SMALL BRANCHES AND GRASS	CUT WOODY MATERIAL OR BRANCHES UP TO ½ INCH THICK	BLADE MATERIAL: CARBON; STEEL BLADE SIZE: LENGTH-225 MM (MIN) WIDTH-45 MM (MIN) THICK-4 MM (MIN) OVERALL LENGTH: 700 MM WOODEN HANDLE WITH FERRULE, NON CORROSIVE, PACKED WITH PROTECTIVE CARTON BOX, MUST BE BRANDED
SOIL AUGER				
HOLE DIGGER	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO DIG NARROW HOLES	DIGGING NARROW HOLES TO PLANT TREES OR FOR FENCES TO PROTECT THE AGRICULTURAL LAND	BLADE MATERIAL: CARBON STEEL, 1/6 INCH THICK (MIN) HANDLE MATERIAL: HARDWOOD HANDLE LENGTH: 4 FEET (MIN) JAW DIGGER/BLADE WIDTH DIMENSION: 4 INCHES (MIN) BLADE LENGTH: 8 INCHES (MIN) BLADE SPREAD: 5 INCHES (MIN) MANUAL POST HOLE DIGGER TYPE
TROWEL, HAND	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO DIG UP OR DIG OUT WEEDS OR INSTALL SMALL PLANTS OR BULBS	PERFORMED THE DIGGING SMALL HOLES AND TRANSPLANTING PLANTS	TYPE: GARDEN TROWEL MATERIAL: CARBON STEEL THICKNESS: 0.80 MM (MIN) BLADE WIDTH: 8 CM (MIN) BLADE LENGTH: 13 CM (MIN) LENGTH INCLUDING THE HANDLE: 30 CM (MIN) BRANDED
STEEL TAPE	AGRICULTURAL CROPS PRODUCTION	FUNCTIONAL: USE FOR FRAMING AND LAYING RAFTERS AND STAIRS. IT CAN ALSO BE USED AS S STRAIGHT-EDGE, FINDING AND ESTABLISHING RIGHT ANGLES AND MARKING CUT-OFF WORK ON WIDE STOCK.	PERFORMANCE: MUST EXTEND FRAMING AND LAYING RAFTERS AND STAIRS AND MUST FIND STRAIGHT-EDGE, AND MUST ESTABLISHED RIGHT ANGLES AND MARKING CUT-OFF WORK ON WIDE STOCK	TYPE: METRIC BODY SHAPE: L-SHAPE BLADE MATERIAL: STAINLESS STEEL BLADE LENGTH: 300 MM GRADUATION: 1MM BLADE WIDTH: 30 MM (MIN) BLADE THICKNESS: 1 MM (MIN) HANDLE LENGTH: 150 MM (MIN) GRADUATION ARE MARKED PERMANENTLY NUMBERS AND GRADUATIONS ARE END-GRAVED AND FILLED WITH BLACK OR RED COLOR PACKED IN A PLATIC POUCH WARRANTY PERIOD OF 1 YEAR
SOIL MOISTURE METER	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO MEASURE MOISTURE CONTENT OF THE SOI	MEASURED SOIL MOISTURE FROM 7% UP TO 35%	BODY MATERIAL: HARD PLASTIC PROBE LENGTH: 9 CM (MIN) WITH PH, LIGHT AND MOISTURE READOUT SCALE PH METER VALUE RANGES FROM 3.5 TO 8

				MOISTURE HUMIDITY VALUE RANGES FROM 1 TO 10, COMES WITH STORAGE BOX, WITH MANUAL
RAKE	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO CLEAR FIELDS, STIRRING, SPREADING LAWNS AND YARDS	CLEARED THE AGRICULTURAL AREA BEFORE PLANTING ACTIVITY	TINE MATERIAL: FORGED CARBON STEEL TINE NUMBER: 10 TO 12 TIMES HANDLE LENGTH: 4 FT (MINIMUM) TINE HEIGHT: 2 ¾ INCHES (MIN) COMES WITH HARD WOOD HANDLE, DESIGN WITH WELDED BLADE SOCKET, GARDEN RAKE TYPE
GARDEN HOE	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO REMOVE WEEDS AND LOOSEN SOIL	CULTIVATES SOIL OR VEGETABLE BEDS	HOE MATERIAL: CARBON STEEL, 1/16 INCH THICK (MIN), DRAW HOE TYPE, HOE LENGTH: 6 ½ INCH (MIN), HOE WIDTH: 4 ½ INCH (MIN), LENGTH: AT LEAST 48 INCHES, HANDLE: HARD WOOD, BRANDED
PH METER	AGRICULTURAL CROPS PRODUCTION	MUST BE ABLE TO MEASURE THE ACIDITY AND ALKALINITY OF A LIQUID USED ON WATERING THE PLANTS	MEASURES THE LIQUID PH RANGES FROM 0 TO 14	PORTABLE DIGITAL PEN TYPE; WITH RETRACTABLE ELECTRODE; WATERPROOF WITH ONE BOTTLE OG PH 7.0 BUFFER SOLUTION FEATURE A BOLD LCD DISPLAY OF PH SUPPLIED WITH PROTECTIVE CAP, CALIBRATION SCREWDRIVER, PORTABLE HARD CARRY CASE AND BATTERY OPERATION MANUAL (INSTRUCTION AND LAB MANUAL) MEASURES THE PH OF A SUBSTANCE OR SOLUTION INDICATING ITS ACIDITY OR ALKALINITY
***NOTHING FOLLOWS***				

Unit	Item Description	Qty.
	<b>CAREGIVING</b>	
unit	Crutches	1
unit	Commode	1
unit	Comforter	4
unit	Vacum Cleaner	1
unit	Flat Sheet	12
unit	Bottle Sterilizer	1
unit	Baby Blanket	5
unit	Aneroid Sphygmomanometer and stethoscope	1
unit	Digital Thermometer	10
unit	Dressing Trolley	1
unit	Pillow	8
unit	Pillow Case	12
box	Disposable Latex Gloves	25
unit	Electric Knife	1
unit	Medical Tray	1
unit	High Chair/Booster Seat	1

pcs	Hospital Gown	10
unit	Blanket (baby)	5
unit	Wheelchair	1
unit	Airpot	2
unit	Cane	1
unit	Urinal	2
unit	Bed pan	2
pair	Rubber Gloves	12
unit	Bath Towel	12
unit	Basin	12
unit	Baby bath tub	1
	<b>ANIMATION</b>	
unit	Lightbox (with animation disc/peg bar)	2
unit	Pen Tablet 4" x 6"	42
unit	Pencil Sharpener	8
unit	1TB External hard drive	2
	<b>COOKERY</b>	
unit	Baian Marie (Food warmer table)	1
unit	Meat Slicer	1
unit	Blender	1
unit	Cart Utility	1
unit	Chef Knife	10
unit	Casserole Medium	4
unit	Stock pot	2
unit	Fire Extinguisher	2
unit	Plate Rack	6
pair	Kitchen scissor	8
unit	Roasting Pan	1
unit	Glass Rack	12
	<b>FOOD PROCESSING</b>	
unit	Brix Refractor	6
unit	Food Processor	4
unit	Vacumm Pack Machine	2
unit	Meat Grinder	4
unit	Weighing Scale (50 kilos)	2
unit	Steamer	2
unit	Smoke House (Electric)	2
	<b>BREAD AND PASTRY PRODUCTION</b>	
unit	Double Broiler	6
unit	Cake Stand with Tier	12
unit	Cake turn table	16
unit	Chopping board set, 6 colors	12
unit	Dough Cutter	2
unit	Flour sifter, Hand Crancked	12
set	Decorating Tip	40
unit	Coupler	6
unit	Grater with Plastic Handle	12

	<b>HOUSEKEEPING</b>	
unit	Bed, Queen	2
unit	Bed, Single	2
unit	Polisher, Floor, Electric, With Accessories	2
unit	Spray Gun, Water	10
unit	Step Ladder	2
unit	Vacum Cleaner, Dry and Wet	2
unit	Coffee Maker	2
unit	Fan, Electric	4
unit	Electric Kettle	2
unit	Housekeeping Cart	2
unit	Board Ironing	2
unit	Carpet Sweeper	2
unit	Fire Extinguisher	6
unit	Squeegee	4
unit	Mirror	2
	<b>AGRICULTURAL CROPS PRODUCTION</b>	
pair	Shears, pruning	25
unit	Sprayer, Knapsack	50
unit	Spinkler	75
unit	Soil Moisture Meter	25
unit	Step Ladder	15
unit	Bolo	125
unit	Hoe, Light (Digging Tool)	25
unit	Knife, Budding (Cutting Tools)	25
unit	Shovel	25
unit	Pick Matto	25
unit	Hedge Shear	25
unit	Soil Auger	10
unit	Hole Digger	25
unit	Trowel	50
unit	Steel Tape	5
unit	Soil Moisture Meter	5
unit	Rake	25
unit	Garden Hoe	25
unit	Ph Meter	25



## ***Section VIII. Checklist of Technical and Financial Documents***

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class “A” Documents*

#### Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
  
**or**
- ☐ (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
  
**and**
- ☐ (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
  
**and**
- ☐ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- ☐ (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- ☐ (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

**or**

Original copy of Notarized Bid Securing Declaration; **and**

- ☐ (h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (i) Original duly signed Omnibus Sworn Statement (OSS);

**and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- ☐ (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

**or**

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

***Class "B" Documents***

- ☐ (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

**or**

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

## **II. FINANCIAL COMPONENT ENVELOPE**

- ☐ (m) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (n) Original of duly signed and accomplished Price Schedule(s).

### **Other documentary requirements under RA No. 9184 (as applicable)**

- ☐ (o) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
  - ☐ (p) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.
- Additional Requirements: Affidavit (Self Declaration that the supplier will deliver authentic/good quality of tablets)

