



Republic of the Philippines
Department of Education
Region III
SCHOOLS DIVISION OF AURORA

REQUEST FOR QUOTATION
PROCUREMENT OF LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL VOCATIONAL
LIVELIHOOD (LTE TVL) EQUIPMENT PACKAGE

RFQ NO. 2025-05-138

Sir/Madam:

Please quote your best quotation for the item/s described below using the Price Quotation Form (see Annex "B" of the Request for Quotation), subject to terms and conditions stated in the RFQ.

Unit	Quantity	Item/Description	APPROVED BUDGET FOR THE CONTRACT
unit	1	Salinometer	96,021.00
		Pen Type Salinity Meter (Display: LCD screen with backlight); Power Source: 2 x 1.5V AAA batteries Waterproof Rating: Likely IP65 or IP67 (splash-proof but not fully submersible) Buttons:	
unit	1	stuffer/linker	
		Sausage Filling Machine (Vacuum or Manual Type) Specifications : Model: Likely a stainless-steel Capacity: Ranges from 15L to 50L Material: 304 Stainless Steel (food-grade, rust-proof, easy to clean) Filling Speed: Adjustable depending on model type (manual or automatic) Power Supply: 220V Pneumatic models: 110V/220V, 50/60Hz Cylinder Volume: Varies from 10L to 50L Output Efficiency: Can fill 500-2000 sausages per hour, depending on type Sausage Diameter: Compatible with casings from 12mm - 50mm	
	1	Brix refractometers	
		Measurement Range: 0 - 32% Brix Accuracy: ±0.2% Brix Resolution: 0.2% Brix Automatic Temperature Compensation (ATC): Yes (compensates for temperature variations from 10°C to 30°C) Sample Size: Only 2-3 drops of liquid needed Material: Durable aluminum alloy body with rubber grip for easy handling Prism & Lens: Optical glass with a hinged daylight plate for even sample distribution Calibration Method: Uses distilled water or a calibration solution Scale Display: Blue and white background with clear percentage readings	
unit	1	Laboratory scale cabinet drier or forced draft oven	
		Capacity: 28 liters Temperature Range: Ambient +10°C to 300°C (up to 572°F) Power: 1000W Features: Uniform heating with natural convection and a separate fan switch, large capacity with two adjustable trays (each supporting up to 15 kg), easy-to-operate button controls with digital display. Dimensions: Interior - 34 x 34 x 35 cm; Exterior - 46.5 x 65 x 49.5 cm	
unit	1	WINDOW TYPE AIRCON	
		1HP, window type, manual, EER 10.8, 13 000kj/hr, input power 1,200w, dimension (WXHxD)560x346x655mm, net wg.35kgs, warranty 1 year for parts , 5 years for compressor	
			96,021.00
		TOTAL	

* The ABC is understood to be the ceiling price; offers must not exceed the ABC provided.


Deadline for submission and receipt of quotation, together with the following documents, duly signed by you or your duly authorized representative, shall not be later than **May 23, 2025 at 12:00 n.n.**

- Mayor’s Permit for 2025
- PhilGEPS Registration Number (Organization ID or screenshot from PhilGEPS Website);
- Brochure or Technical Data Sheet, if applicable;
- Annual Income Tax Return CY 2023 or Latest Business Tax Return (from April to September; filed through the Electronic Filing and Payment System (EFPS));
- Omnibus Sworn Statement;
- Compliance with the Schedule of Requirements (Annex “A”);
- The Price Quotation Form (Annex “B”);

Only one (1) set of documents certified to be true copies of the original shall be required.

Proposals and other documents required may be sent electronically through procurement.depeditaurora@deped.gov.ph
Electronically prepared and/or hard copies of the proposals and documents must be submitted through the SDO Records Section on or before the deadline of submission as stated in this RFQ.

Late submission of quotations shall not be accepted and considered.


ERLEO T. VILLAROS PhD
Chairperson, Bids and Awards

Note: Please indicate statement of compliance of the Technical Specifications Form by clearly indicating “**COMPLY**”



Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora
Contact No.: (042) 724-9190
Email Address: aurora@deped.gov.ph
Official Website: www.deped-aurora.com



Republic of the Philippines
Department of Education
Region III
SCHOOLS DIVISION OF AURORA

SCHEDULE OF REQUIREMENTS

Unit	Quantity	Item/Description	Delivery Period
unit	1	Salinometer	on or before July 15, 2025
		Pen Type Salinity Meter (Display: LCD screen with backlight); Power Source: 2 x 1.5V AAA batteries Waterproof Rating: Likely IP65 or IP67 (splash-proof but not fully submersible) Buttons:	
unit	1	stuffer/linker	
		Sausage Filling Machine (Vacuum or Manual Type) Specifications : Model: Likely a stainless-steel Capacity: Ranges from 15L to 50L Material: 304 Stainless Steel (food-grade, rust-proof, easy to clean) Filling Speed: Adjustable depending on model type (manual or automatic) Power Supply: 220V Pneumatic models: 110V/220V, 50/60Hz Cylinder Volume: Varies from 10L to 50L Output Efficiency: Can fill 500-2000 sausages per hour, depending on type Sausage Diameter: Compatible with casings from 12mm - 50mm	
	1	Brix refractometers	
		Measurement Range: 0 - 32% Brix Accuracy: ±0.2% Brix Resolution: 0.2% Brix Automatic Temperature Compensation (ATC): Yes (compensates for temperature variations from 10°C to 30°C) Sample Size: Only 2-3 drops of liquid needed Material: Durable aluminum alloy body with rubber grip for easy handling Prism & Lens: Optical glass with a hinged daylight plate for even sample distribution Calibration Method: Uses distilled water or a calibration solution Scale Display: Blue and white background with clear percentage readings	
unit	1	Laboratory scale cabinet drier or forced draft oven	
		Capacity: 28 liters Temperature Range: Ambient +10°C to 300°C (up to 572°F) Power: 1000W Features: Uniform heating with natural convection and a separate fan switch, large capacity with two adjustable trays (each supporting up to 15 kg), easy-to-operate button controls with digital display. Dimensions: Interior - 34 x 34 x 35 cm; Exterior - 46.5 x 65 x 49.5 cm	
unit	1	WINDOW TYPE AIRCON	
		1HP, window type, manual, EER 10.8, 13 000kj/hr, input power 1,200w, dimension (WXHxD)560x346x655mm, net wg.35kgs, warranty 1 year for parts , 5 years for compressor	

Project Site:
Training Venue/Schools Division Office
Brgy. Bacong, San Luis, Aurora

Contact person: ALPHA JOY T. RAZON
Head, BAC Secretariat
procurement.depedaurora@deped.gov.ph
0939-9233-396

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company

Signature over Printed Name of Authorized Representative

Date



Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora
Contact No.: (042) 724-9190
Email Address: aurora@deped.gov.ph
Official Website: www.deped-aurora.com

“SDO Aurora: Beacons the Horizon”



Republic of the Philippines
Department of Education
Region III
SCHOOLS DIVISION OF AURORA

Price Quotation Form

Date:
RFQ. NO. 2025-05-138

The Chairperson, Bids and Awards Committee
Schools Division Office
Brgy. Bacong
San Luis, Aurora

Sir/Madam:
Having examined the Request for **Quotation No. 2025-05-138 which includes the Technical Specifications and Delivery Schedule**, the receipt of which is hereby duly acknowledged, the undersigned offers to _____
in conformity with the said Request for Quotation for the sums stated hereunder:

Unit	Quantity	Item/Description	Unit Price	Total Price
unit	1	Salinometer		
		Pen Type Salinity Meter (Display: LCD screen with backlight); Power Source: 2 x 1.5V AAA batteries Waterproof Rating: Likely IP65 or IP67 (splash-proof but not fully submersible) Buttons:		
unit	1	stuffer/linker		
		Sausage Filling Machine (Vacuum or Manual Type) Specifications : Model: Likely a stainless-steel Capacity: Ranges from 15L to 50L Material: 304 Stainless Steel (food-grade, rust-proof, easy to clean) Filling Speed: Adjustable depending on model type (manual or automatic) Power Supply: 220V Pneumatic models: 110V/220V, 50/60Hz Cylinder Volume: Varies from 10L to 50L Output Efficiency: Can fill 500-2000 sausages per hour, depending on type Sausage Diameter: Compatible with casings from 12mm - 50mm		
	1	Brix refractometers		
		Measurement Range: 0 - 32% Brix Accuracy: ±0.2% Brix Resolution: 0.2% Brix Automatic Temperature Compensation (ATC): Yes (compensates for temperature variations from 10°C to 30°C) Sample Size: Only 2-3 drops of liquid needed Material: Durable aluminum alloy body with rubber grip for easy handling Prism & Lens: Optical glass with a hinged daylight plate for even sample distribution Calibration Method: Uses distilled water or a calibration solution Scale Display: Blue and white background with clear percentage readings		
unit	1	Laboratory scale cabinet drier or forced draft oven		
		Capacity: 28 liters Temperature Range: Ambient +10°C to 300°C (up to 572°F) Power: 1000W Features: Uniform heating with natural convection and a separate fan switch, large capacity with two adjustable trays (each supporting up to 15 kg), easy-to-operate button controls with digital display. Dimensions: Interior - 34 x 34 x 35 cm; Exterior - 46.5 x 65 x 49.5 cm		
unit	1	WINDOW TYPE AIRCON		

		1HP, window type, manual, EER 10.8, 13 000kj/hr, input power 1,200w, dimension (WXHxD)560x346x655mm, net wg.35kgs, warranty 1 year for parts , 5 years for compressor		

TOTAL PRICE IN WORDS: _____

We undertake, if our Proposal is accepted, to deliver the goods as identified in the Technical Specification and in accordance with the Schedule of Requirements.

Until a formal Contract is prepared and executed, this price quotation, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

However, we understand that you are not bound to accept the lowest or any Quotation you may receive.

Dated this _____.

Name / Signature/ Designation / Capacity

Duly authorized to sign Quotation for and on behalf of:

Company / Address / Contact No



Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora
Contact No.: (042) 724-9190
Email Address: aurora@deped.gov.ph
Official Website: www.deped-aurora.com

“SDO Aurora: Beaconing the Horizon”



Republic of the Philippines
Department of Education
Region III
SCHOOLS DIVISION OF AURORA

TERMS AND CONDITIONS:

1. Bidders shall provide correct and accurate information required in this form.
2. Bidders may quote for any or all the items.
3. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
5. Quotations exceeding the Approved Budget for the Contract (ABC) shall be rejected.
6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
8. The item/s shall be delivered according to the requirements specified in the Technical Specifications. Delivery shall be made only during regular office days from 8:00AM to 4:00 PM except for training conducted during during saturdays and sundays.
9. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e, order slip and/or billing statement, by the contractor thru Modified Disbursement System (MDS) Checks from Landbank of the Philippines.
10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The DepEd Schools Division of Aurora shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
11. For procurement with ABC of less than Php50,000.00, only the **winning** bidder/supplier will receive a notification for the said procurement thru the email address or mobile phone number provided in this canvass form. For ABC of Php50,000.00 or more, **all** bidders/suppliers will receive notification as to the status of their quotation. Notifications will be done by the procuring entity **within five (5) working days** after the opening of bids/sealed quotations.




Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora
Contact No.: (042) 724-9190
Email Address: aurora@deped.gov.ph
Official Website: www.deped-aurora.com

"SDO Aurora: Beaconing the Horizon"



Republic of the Philippines
Department of Education
 REGION III – CENTRAL LUZON
 SCHOOLS DIVISION OF AURORA

**PROCUREMENT FOR LEARNING TOOLS AND EQUIPMENT(LTE) FOR TVL
 PACKAGE**

TOOLS DESCRIPTION	
<p>SALINOMETER Pen Type Salinity Meter (Display: LCD screen with backlight); Power Source: 2 x 1.5V AAA batteries Waterproof Rating: Likely IP65 or IP67 (splash-proof but not fully submersible) Buttons:</p>	
<p>STUFFER/LINKER Specifications : Model: Likely a stainless-steel Capacity: Ranges from 15L to 50L Material: 304 Stainless Steel (food-grade, rust-proof, easy to clean) Filling Speed: Adjustable depending on model type (manual or automatic) Power Supply: 220V Pneumatic models: 110V/220V, 50/60Hz Cylinder Volume: Varies from 10L to 50L Output Efficiency: Can fill 500-2000 sausages per hour, depending on type Sausage Diameter: Compatible with casings from 12mm - 50mm"</p>	



Republic of the Philippines
Department of Education
REGION III – CENTRAL LUZON
SCHOOLS DIVISION OF AURORA

BRIX REFRACTOMETERS

"Measurement Range: 0 - 32% Brix
Accuracy: $\pm 0.2\%$ Brix
Resolution: 0.2% Brix
Automatic Temperature Compensation (ATC): Yes (compensates for temperature variations from 10°C to 30°C)
Sample Size: Only 2-3 drops of liquid needed
Material: Durable aluminum alloy body with rubber grip for easy handling
Prism & Lens: Optical glass with a hinged daylight plate for even sample distribution
Calibration Method: Uses distilled water or a calibration solution
Scale Display: Blue and white background with clear percentage readings"



LABORATORY SCALE CABINET DRIER OR FORCED DRAFT OVEN

Capacity: 45 liters (12 gallons)
Temperature Range: Ambient +10°C to 300°C (up to 572°F)
Power: 1000W
Features: Uniform heating with natural convection and a separate fan switch, large capacity with two adjustable trays (each supporting up to 15 kg), easy-to-operate button controls with digital display, low-noise operation, and the option for additional functionalities such as an LCD instrument panel or USB storage.
Dimensions: Interior - 34 x 34 x 35 cm; Exterior - 46.5 x 65 x 49.5 cm
Availability: Available through Galleon Philippines."





Republic of the Philippines
Department of Education
REGION III – CENTRAL LUZON
SCHOOLS DIVISION OF AURORA

WINDOW TYPE AIRCON

1HP, window type, manual, EER
10.8, 13 000kj/hr, input power
1,200w, dimension
(WXHxD)560x346x655mm, net
wg.35kgs, warranty 1 year for
parts, 5 years for compressor.

Unit Weight: 2 x 1.5V AAA

Others:

Warranty Rating: Likely 17% or

50% (likely-poor but not fully
substandard)



STUFFER/LINKER

Specifications:

Model: Linker a stainless-steel

Capacity: 100 to 150 or 30L

Material: 1/2" Stainless Steel

Food-grade, non-porous, easy to
clean

Feeding Speed: Adjustable

depending on model type (manual
or automatic)

Power Supply: 220V

Pneumatic models: 110V/220V,

50/60Hz

Cylinder Volume: Varies from 10L
to 30L

Output Efficiency: Can fill 500

sausages per hour,

depending on type

Material: Ductile Iron Compatible

with casings from 12mm to 25mm