Bid Notice Abstract

Request for Proposal (RFP)

Reference Number 12046108

Procuring Entity DEPARTMENT OF EDUCATION - DIVISION OF AURORA

RFQ NO. 2025-05-138-REQUEST FOR QUOTATION PROCUREMENT OF LEARNING TOOLS AND

EQUIPMENT FOR TECHNICAL VOCATIONAL LIVELIHOOD (LTE_TVL) EQUIPMENT PACKAGE

Area of Delivery

Solicitation Number:	RFQ NO. 2025-05-138	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	General Merchandise		
Approved Budget for the Contract:	PHP 96,021.00	Document Request List	0
Delivery Period:			
Client Agency:		Date Published	20/05/2025
Contact Person:	JEFFREY C RESUEÑO		
	Head-BAC Secretariat 449 San Luis Aurora	Last Updated / Time	19/05/2025 12:34 PM
	Philippines 3200 63-963-7688896	Closing Date / Time	23/05/2025 12:00 PM
	jeffrey.resueno@deped.gov.ph	ı	

RFQ NO. 2025-05-138 Unit Quantity

unit 1 96,021.00 unit 1 unit 1 unit 1 96,021.00 Salinometer

Description

Pen Type Salinity Meter (Display: LCD screen with backlight); Power Source: 2 x 1.5V AAA batteries Waterproof Rating: Likely IP65 or IP67 (splash-proof but not fully submersible)

Buttons: stuffer/linker

Sausage Filling Machine (Vacuum or Manual Type)

Specifications:

Model: Likely a stainless-steel

Capacity: Ranges from 15L to 50L Material: 304 Stainless Steel (food-grade, rust-proof, easy to clean) Filling Speed: Adjustable depending on model type (manual or automatic)

Power Supply: 220V Pneumatic models: 110V/220V, 50/60Hz

Cylinder Volume: Varies from 10L to 50L
Output Efficiency: Can fill 500-2000 sausages per hour, depending on type
Sausage Diameter: Compatible with casings from 12mm - 50mm

Brix refractometers

Measurement Range: 0 - 32% Brix

Accuracy: ±0.2% Brix Resolution: 0.2% Brix

Automatic Temperature Compensation (ATC): Yes (compensates for temperature

variations from 10°C to 30°C)
Sample Size: Only 2-3 drops of liquid needed

Material: Durable aluminum alloy body with rubber grip for easy handling Prism & Lens: Optical glass with a hinged daylight plate for even sample distribution

Calibration Method: Uses distilled water or a calibration solution

Scale Display: Blue and white background with clear percentage readings Laboratory scale cabinet drier or forced draft oven

Capacity: 28 liters

. Temperature Range: Ambient +10°C to 300°C (up to 572°F)

Power: 1000W

Features: Uniform heating with natural convection and a separate fan switch. large capacity with two adjustable trays (each supporting up to 15 kg), easy-to

operate button controls with digital display. Dimensions: Interior - $34 \times 34 \times 35$ cm; Exterior - $46.5 \times 65 \times 49.5$ cm

WINDOW TYPE AIRCON Republic of the Philippines Department of Education

Region III

SCHOOLS DIVISION OF AURORA

```
REQUEST FOR QUOTATION
PROCUREMENT OF LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL VOCATIONAL
LIVELIHOOD (LTE_TVL) EQUIPMENT PACKAGE
Sir/Madam:
Please quote your best quotation for the item/s described below using the Price Quotation Form (see Annex
 'B" of the Request for Quotation), subject to terms and conditions stated in the RFQ.
Item/Description
APPROVED
BUDGET FOR THE
CONTRACT
1HP, window type, manual, EER 10.8, 13 000kj/hr, input power 1,200w,
dimension (WXHXD)560x346x655mm, net wg.35kgs, warranty 1 year for parts , 5
years for compressor
Deadline for submission and receipt of quotation, together with the following documents, duly signed by you or your duly authorized representative, shall not be later than May 23, 2025 at 12:00 n.n.

• Mayor's Permit for 2025
• PhilGEPS Registration Number (Organization ID or screenshot from PhilGEPS Website);

Brochure or Technical Data Sheet, if applicable;
Annual Income Tax Return CY 2023 or Latest Business Tax Return (from April to September; filed through the

Electronic Filing and Payment System (EFPS));

    Omnibus Sworn Statement;

    Compliance with the Schedule of Requirements (Annex "A");

• The Price Quotation Form (Annex "B");
* The ABC is understood to be the ceiling price; offers must not exceed the ABC provided. Only one (1) set of documents certified to be true copies of the original shall be required.
Proposals and other documents required may be sent electronically through
procurement.depedaurora@deped.gov.ph
Electronically prepared and/or hard copies of the proposals and documents must be submitted through
the SDO Records Section on or before the deadline of submission as stated in this RFQ.
Late submission of quotations shall not be accepted and considered.
ERLEO T. VILLAROS PhD
Chairperson, Bids and Awards
Note: Please indicate statement of compliance of the Technical Specifications Form by clearly indicating "COMPLY"
Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora
Contact No.: (042) 724-9190
Email Address: aurora@deped.gov.ph
Official Website: www.deped-aurora.com
Unit Quantity Delivery
Period
unit 1
unit 1
unit 1
unit 1
on or before
July 15, 2025
Salinometer
Project Site:
Training Venue/Schools Division Office
Brgy. Bacong, San Luis, Aurora
Contact person: ALPHA JOY T. RAZON
Head, BAC Secretariat
procurement.depedaurora@deped.gov.ph
0939-9233-396
Name of Company Signature over Printed Name of Date
Authorized Representative
Region III
Department of Education
SCHEDULE OF REQUIREMENTS
SCHOOLS DIVISION OF AURORA
Republic of the Philippines
Pen Type Salinity Meter (Display: LCD screen with backlight); Power Source: 2 x 1.5V AAA batteries Waterproof Rating: Likely
IP65 or IP67 (splash-proof but not fully submersible)
Buttons:
stuffer/linker
Item/Description
I hereby commit to comply and deliver all the above requirements in accordance with the
above stated schedule.
Sausage Filling Machine (Vacuum or Manual Type)
Specifications:
Model: Likely a stainless-steel
Capacity: Ranges from 15L to 50L
Material: 304 Stainless Steel (food-grade, rust-proof, easy to clean)
Filling Speed: Adjustable depending on model type (manual or automatic)
Power Supply: 220V
Pneumatic models: 110V/220V, 50/60Hz
Cylinder Volume: Varies from 10L to 50L
Output Efficiency: Can fill 500-2000 sausages per hour, depending on type
Sausage Diameter: Compatible with casings from 12mm - 50mm
Brix refractometers
Measurement Range: 0 - 32% Brix
Accuracy: ±0.2% Brix
Resolution: 0.2% Brix
Automatic Temperature Compensation (ATC): Yes (compensates for temperature variations from 10°C to 30°C)
Sample Size: Only 2-3 drops of liquid needed
Material: Durable aluminum alloy body with rubber grip for easy handling
Prism & Lens: Optical glass with a hinged daylight plate for even sample
distribution
Calibration Method: Uses distilled water or a calibration solution
Scale Display: Blue and white background with clear percentage readings
Laboratory scale cabinet drier or forced draft oven Capacity: 28 liters
Temperature Range: Ambient +10°C to 300°C (up to 572°F)
Power: 1000W
 Features: Uniform heating with natural convection and a separate fan switch,
large capacity with two adjustable trays (each supporting up to 15 kg), easy
to-operate button controls with digital display.
Dimensions: Interior - 34 \times 34 \times 35 cm; Exterior - 46.5 \times 65 \times 49.5 cm WINDOW TYPE AIRCON
1HP, window type, manual, EER 10.8, 13 000kj/hr, input power 1,200w, dimension (WXHXD)560x346x655mm, net wg.35kgs, warranty 1 year for parts , 5 years for compressor Address: So. Hiwalayan, Brgy. Bacong, San Luis,
Aurora
```

```
Contact No.: (042) 724-9190
Email Address: aurora@deped.gov.ph
Official Website: www.deped-aurora.com
 SDO Aurora: Beaconing the
Horizon'
Date:
RFQ. NO. 2025-05-138
Sir/Madam:
Unit Quantity Unit Price Total Price
unit 1
unit 1
unit 1
unit 1
Salinometer
Pen Type Salinity Meter (Display: LCD screen with
backlight); Power Source: 2 x 1.5V AAA batteries Waterproof Rating:
Likely IP65 or IP67 (splash-proof but not fully
submersible)
Buttons:
stuffer/linker
Sausage Filling Machine (Vacuum or Manual Type)
Specifications:
Model: Likely a stainless-steel
Capacity: Ranges from 15L to 50L
Material: 304 Stainless Steel (food-grade, rust
proof, easy to clean)
Filling Speed: Adjustable depending on model type
(manual or automatic)
Power Supply: 220V
Pneumatic models: 110V/220V, 50/60Hz
Cylinder Volume: Varies from 10L to 50L
Output Efficiency: Can fill 500-2000 sausages per
hour, depending on type
Sausage Diameter: Compatible with casings from 12mm - 50mm
Brix refractometers
The Chairperson, Bids and Awards Committee
Schools Division Office
Brgy. Bacong
San Luis, Aurora
Item/Description
Price Quotation Form
Having examined the Request for Quotation No. 2025-05-138 which includes the Technical Specifications and Delivery
Schedule, the receipt of which is hereby duly acknowledged, the undersigned offers
in conformity with the said Request for Quotation for the sums stated hereunder: Measurement Range: 0 - 32% Brix
Accuracy: ±0.2% Brix
Resolution: 0.2% Brix
Automatic Temperature Compensation (ATC): Yes
(compensates for temperature variations from
10°C to 30°C)
Sample Size: Only 2-3 drops of liquid needed
Material: Durable aluminum alloy body with rubber grip for easy handling
Prism & Lens: Optical glass with a hinged daylight
plate for even sample distribution
Calibration Method: Uses distilled water or a
calibration solution
Scale Display: Blue and white background with
clear percentage readings
Laboratory scale cabinet drier or forced draft oven Capacity: 28 liters
Temperature Range: Ambient +10°C to 300°C (up
to 572°F)
Power: 1000W
Features: Uniform heating with natural convection and a separate fan switch, large capacity with two
adjustable trays (each supporting up to 15 kg),
easy-to-operate button controls with digital
Dimensions: Interior - 34 x 34 x 35 cm; Exterior -
46.5 x 65 x 49.5 cm
Region III
SCHOOLS DIVISION OF AURORA
Department of Education
Republic of the Philippines
WINDOW TYPE AIRCON
1HP, window type, manual, EER 10.8, 13 000kj/hr, input power 1,200w, dimension
(WXHXD)560x346x655mm, net wg.35kgs, warranty
1 year for parts , 5 years for compressor TOTAL PRICE IN WORDS:
We undertake, if our Proposal is accepted, to deliver the goods as identified in the Technical Specification and in
accordance with the Schedule of Requirements.
Until a formal Contract is prepared and executed, this price quotation, together with your written acceptance thereof
your Notice of Award, shall be binding upon us.
However, we understand that you are not bound to accept the lowest or any Quotation you may receive.
Dated this
Name /Signature/ Designation / Capacity
Duly authorized to sign Quotation for and on behalf of:
Company / Address / Contact No
Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora
Contact No.: (042) 724-9190
Email Address: aurora@deped.gov.ph
Official Website: www.deped-aurora.com
"SDO Aurora: Beaconing the Horizon"
Republic of the Philippines
Department of Education
Region III
SCHOOLS DIVISION OF AURORA
```

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Bidders may quote for any or all the items.
- 3. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
 4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies
- payable.
 5. Quotations exceeding the Approved Budget for the Contract (ABC) shall be rejected.
 6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.

 8. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- Delivery shall be made only during regular office days from 8:00AM to 4:00 PM except for training
- conducted during during saturdays and sundays.

 9. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e, order slip and/or billing statement, by the contractor thru Modified Disbursement System (MDS) Checks from Landbankof the Philippines.
- 10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The DepEd Schools Division of Aurora shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 11. For procurement with ABC of less than Php50,000.00, only the winning bidder/supplier will receive a notification for the said procurement thru the email address or mobile phone number provided in this canvass form. For ABC of Php50,000.00 or more, all bidders/suppliers will receive notification as to the status of their quotation. Notifications will be done by the procuring entity within five (5) working days after the opening of bids/sealed quotations.
 Address: So. Hiwalayan, Brgy, Bacong, San Luis, Aurora Contact No.: (042) 724-9190

Email Address: aurora@deped.gov.ph Official Website: www.deped-aurora.com "SDO Aurora: Beaconing the Horizon"

JEFFREY C RESUEÑO Created by

Date Created 19/05/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.