



Republic of the Philippines  
**Department of Education**  
Region III  
SCHOOLS DIVISION OF AURORA

REQUEST FOR QUOTATION

**PROVISION OF INTERNET CONNECTIVITY AND POWER SUPPLY EQUIPMENT FOR THE CONTINUOUS MONITORING, ASSESSMENT, AND DOCUMENTATION OF SCHOOL SITES.**

**RFQ NO. 2025-09-295**

**Sir/Madam:**

Please quote your best quotation for the item/s described below using the Price Quotation Form (see Annex "B" of the Request for Quotation), subject to terms and conditions stated in the RFQ.

Unit	Quantity	Item/Description	APPROVED BUDGET FOR THE CONTRACT
		INTERNET AND POWER DEVICE	205,000.00
PIECE	1	Mini Satellite Internet Compatible with low Earth Orbit Satellite	-
		Technical Specs: Antenna: Electronic Phased Array Field of View: 110 Orientation: Software-Assisted Manual Orienting Environmental Rating: IP67 Type 04 with DC Power Cable and Starlink Plug/Cable installed Operating Temperature: -30C to 50C (-22F to 122F) Power Consumption: Average 25-40W Input Rating: 12-48V 60W USB PD Requirement: 100W, 20V/5A Minimum Wi-Fi Technology: 802.11a/b/g/n/ac Generation: WiFi 5 Radio: Dual Band 3x3 MU-MIMO Ethernet Ports: One (1) Latching Ethernet LAN port with a starlink plug WiFi Coverage: Up to 112 m2 (1,200 ft2) Security: WPA2 Power Indicator: LED / rear face plate, lower left corner Mesh Compatibility: compatibility with Starlink mesh Max Device connectivity: up to 128 devices Power Supply Adapter: 100-240V - 1.6A 50-60 Hz Environmental Rating: IP66 Type 4 Package Includes: Mini Antenna, Kickstand, DC Power Cable Kickstand, Pipe Adaptor, Plug, Satellite Mini DC to Type C PowerCable 100W that supports PD 65w and Portable hard travel case that fits the satellite modem Inclusive of 1 year aftersales warranty for parts, services for on-site support	-
MONTHS	3	Satellite Mini Car Mount & Protective Cover Dual-Function Design	-
		• Combines crash-proof mounting bracket + weather-resistant cover in one compact unit. • Installs securely on windshields, sunroofs, car roofs (no drilling required). • High-density polyethylene shell shields Starlink Mini from impacts, UV rays, rain, and extreme temperatures (-30°C to 80°C). Heavy-Duty Suction & Flexible Fixation • 4 industrial-grade vacuum cups (100 lbs/suction   45kg per cup) grip glass/metal surfaces even on bumpy roads. • Detachable base allows swapping suction cups with magnetic pads or ¼" screw mounts Should fit with the satellite modem provided	-
PIECE	1	Satellite Mini Car Mount & Protective Cover Dual-Function Design	-

		<ul style="list-style-type: none"> <li>• Combines crash-proof mounting bracket + weather-resistant cover in one compact unit.</li> <li>• Installs securely on windshields, sunroofs, car roofs (no drilling required).</li> <li>• High-density polyethylene shell shields Starlink Mini from impacts, UV rays, rain, and extreme temperatures (-30°C to 80°C).</li> </ul> Heavy-Duty Suction & Flexible Fixation <ul style="list-style-type: none"> <li>• 4 industrial-grade vacuum cups (100 lbs/suction   45kg per cup) grip glass/metal surfaces even on bumpy roads.</li> <li>• Detachable base allows swapping suction cups with magnetic pads or ¼" screw mounts</li> </ul> Should fit with the satellite modem provided	
PIECES	3	Portable power station with bag :	
		<ul style="list-style-type: none"> <li>– &lt;10 ms pro-grade UPS for precision devices</li> <li>– 600W rated output and 1200W Boost</li> <li>– Up to 2× runtime for light-wattage appliances</li> <li>– Expandable up to 858Wh with a wire-free connection to an added battery</li> <li>– Compact and lightweight</li> <li>– 1-hr fast charging, no battery damage</li> <li>– Up to 220W fast solar charging</li> <li>– &lt;30 dB whisper quiet for 24/7 use</li> <li>-LifePO4 battery, 268800mAh, 3000+ cycles,</li> </ul> Package Includes <ul style="list-style-type: none"> <li>• power station base unit</li> <li>• Expansion Extra Battery</li> <li>• AC charging cable</li> <li>• Car charging cable</li> <li>• Generator charging cable</li> <li>• User manual</li> <li>• Bag</li> <li>• 60w Portable Foldable Solar Panel</li> <li>• solar charging cables/adapters</li> </ul> Inclusive of 1 year aftersales warranty for parts, services for on-site support	
		DATE OF DELIVERY: within 30 DAYS from the date of Notice To Proceed; monthly roaming services shall be activated upon delivery and shall be delivered every month thereafter until December 31, 2025. Note: Payment for the roaming services rendered by the supplier may be made on a monthly (every 30 - 31 days, whichever is applicable for the month covered) basis or upon completion of the three month roaming services, at the option of the supplier. The third month of roaming services shall cover December 31, 2025 until the 30 day period for the third month is exhausted.	
		***nothing follows***	
		TOTAL	0.00


\* The ABC is understood to be the ceiling price; offers must not exceed the ABC provided.

Deadline for submission and receipt of quotation, together with the following documents, duly signed by you or your duly authorized representative, shall not be later than **October 01, 2025 @12NOON.**

- Mayor’s Permit for 2025
- PhilGEPS Registration Number (Organization ID or screenshot from PhilGEPS Website);
- Brochure or Technical Data Sheet, if applicable;
- Annual Income Tax Return CY 2024 or Latest Business Tax Return (from April to September; filed through the Electronic Filing and Payment System (EFPS));
- Omnibus Sworn Statement;
- Compliance with the Schedule of Requirements (Annex “A”);
- The Price Quotation Form (Annex “B”);

Only one (1) set of documents certified to be true copies of the original shall be required.

Proposals and other documents required may be sent electronically through [procurement.depedaurora@deped.gov.ph](mailto:procurement.depedaurora@deped.gov.ph) Electronically prepared and/or hard copies of the proposals and documents must be submitted through the SDO Records Section on or before the deadline of submission as stated in this RFQ.  
Late submission of quotations shall not be accepted and considered.



**ERLEO T. VILLAROS PhD**  
 Chairperson, Bids and Awards

Note: Please indicate statement of compliance of the Technical Specifications Form by clearly indicating “**COMPLY**”



Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora  
 Contact No.: (042) 724-9190  
 Email Address: [aurora@deped.gov.ph](mailto:aurora@deped.gov.ph)  
 Official Website: [www.deped-aurora.com](http://www.deped-aurora.com)

“SDO Aurora: Beaconing the Horizon”



Republic of the Philippines  
**Department of Education**  
Region III  
SCHOOLS DIVISION OF AURORA

**SCHEDULE OF REQUIREMENTS**

Unit	Quantity	Item/Description	Delivery Period
		INTERNET AND POWER DEVICE	within 30 DAYS from the date of Notice To Proceed
PIECE	1	Mini Satellite Internet Compatible with low Earth Orbit Satellite	
		Technical Specs: Antenna: Electronic Phased Array Field of View: 110 Orientation: Software-Assisted Manual Orienting Environmental Rating: IP67 Type 04 with DC Power Cable and Starlink Plug/Cable installed Operating Temperature: -30C to 50C (-22F to 122F) Power Consumption: Average 25-40W Input Rating: 12-48V 60W USB PD Requirement: 100W, 20V/5A Minimum Wi-Fi Technology: 802.11a/b/g/n/ac Generation: WiFi 5 Radio: Dual Band 3x3 MU-MIMO Ethernet Ports: One (1) Latching Ethernet LAN port with a starlink plug WiFi Coverage: Up to 112 m2 (1,200 ft2) Security: WPA2 Power Indicator: LED / rear face plate, lower left corner Mesh Compatibility: compatibility with Starlink mesh Max Device connectivity: up to 128 devices Power Supply Adapter: 100-240V - 1.6A 50-60 Hz Environmental Rating: IP66 Type 4 Package Includes: Mini Antenna, Kickstand, DC Power Cable Kickstand, Pipe Adaptor, Plug, Satellite Mini DC to Type C PowerCable 100W that supports PD 65w and Portable hard travel case that fits the satellite modem Inclusive of 1 year aftersales warranty for parts, services for on-site support	
MONTHS	3	Satellite Mini Car Mount & Protective Cover Dual-Function Design	
		<ul style="list-style-type: none"><li>• Combines crash-proof mounting bracket + weather-resistant cover in one compact unit.</li><li>• Installs securely on windshields, sunroofs, car roofs (no drilling required).</li><li>• High-density polyethylene shell shields Starlink Mini from impacts, UV rays, rain, and extreme temperatures (-30°C to 80°C).</li></ul> Heavy-Duty Suction & Flexible Fixation <ul style="list-style-type: none"><li>• 4 industrial-grade vacuum cups (100 lbs/suction   45kg per cup) grip glass/metal surfaces even on bumpy roads.</li><li>• Detachable base allows swapping suction cups with magnetic pads or ¼" screw mounts</li></ul> Should fit with the satellite modem provided	
PIECE	1	Satellite Mini Car Mount & Protective Cover Dual-Function Design	
		<ul style="list-style-type: none"><li>• Combines crash-proof mounting bracket + weather-resistant cover in one compact unit.</li><li>• Installs securely on windshields, sunroofs, car roofs (no drilling required).</li><li>• High-density polyethylene shell shields Starlink Mini from impacts, UV rays, rain, and extreme temperatures (-30°C to 80°C).</li></ul> Heavy-Duty Suction & Flexible Fixation <ul style="list-style-type: none"><li>• 4 industrial-grade vacuum cups (100 lbs/suction   45kg per cup) grip glass/metal surfaces even on bumpy roads.</li><li>• Detachable base allows swapping suction cups with magnetic pads or ¼" screw mounts</li></ul> Should fit with the satellite modem provided	





Republic of the Philippines  
**Department of Education**  
Region III  
SCHOOLS DIVISION OF AURORA

*Price Quotation Form*

Date:  
RFQ. NO. 2025-09-295

The Chairperson, Bids and Awards Committee  
Schools Division Office  
Brgy. Bacong  
San Luis, Aurora

Sir/Madam:  
Having examined the Request for **Quotation No. 2025-09-295 which includes the Technical Specifications and Delivery Schedule**, the receipt of which is hereby duly acknowledged, the undersigned offers to \_\_\_\_\_ in conformity with the said Request for Quotation for the sums stated hereunder:

Unit	Quantity	Item/Description	Unit Price	Total Price
		INTERNET AND POWER DEVICE		
PIECE	1	Mini Satellite Internet Compatible with low Earth Orbit Satellite		
		Technical Specs: Antenna: Electronic Phased Array Field of View: 110 Orientation: Software-Assisted Manual Orienting Environmental Rating: IP67 Type 04 with DC Power Cable and Starlink Plug/Cable installed Operating Temperature: -30C to 50C (-22F to 122F) Power Consumption: Average 25-40W Input Rating: 12-48V 60W USB PD Requirement: 100W, 20V/5A Minimum Wi-Fi Technology: 802.11a/b/g/n/ac Generation: WiFi 5 Radio: Dual Band 3x3 MU-MIMO Ethernet Ports: One (1) Latching Ethernet LAN port with a starlink plug WiFi Coverage: Up to 112 m2 (1,200 ft2) Security: WPA2 Power Indicator: LED / rear face plate, lower left corner Mesh Compatibility: compatibility with Starlink mesh Max Device connectivity: up to 128 devices Power Supply Adapter: 100-240V - 1.6A 50-60 Hz Environmental Rating: IP66 Type 4 Package Includes: Mini Antenna, Kickstand, DC Power Cable Kickstand, Pipe Adaptor, Plug, Satellite Mini DC to Type C PowerCable 100W that supports PD 65w and Portable hard travel case that fits the satellite modem Inclusive of 1 year aftersales warranty for parts, services for on-site support		
MONTHS	3	Satellite Mini Car Mount & Protective Cover		
		• Combines crash-proof mounting bracket + weather-resistant cover in one compact unit. • Installs securely on windshields, sunroofs, car roofs (no drilling required). • High-density polyethylene shell shields Starlink Mini from impacts, UV rays, rain, and extreme temperatures (-30°C to 80°C). Heavy-Duty Suction & Flexible Fixation • 4 industrial-grade vacuum cups (100 lbs/suction   45kg per cup) grip glass/metal surfaces even on bumpy roads. • Detachable base allows swapping suction cups with magnetic pads or ¼" screw mounts Should fit with the satellite modem provided		

PIECE	1	Satellite Mini Car Mount & Protective Cover		
		<ul style="list-style-type: none"><li>• Combines crash-proof mounting bracket + weather-resistant cover in one compact unit.</li><li>• Installs securely on windshields, sunroofs, car roofs (no drilling required).</li><li>• High-density polyethylene shell shields Starlink Mini from impacts, UV rays, rain, and extreme temperatures (-30°C to 80°C).</li></ul> Heavy-Duty Suction & Flexible Fixation <ul style="list-style-type: none"><li>• 4 industrial-grade vacuum cups (100 lbs/suction   45kg per cup) grip glass/metal surfaces even on bumpy roads.</li><li>• Detachable base allows swapping suction cups with magnetic pads or ¼" screw mounts</li></ul> Should fit with the satellite modem provided		
PIECES	3	Portable power station with bag :		
		<ul style="list-style-type: none"><li>– &lt;10 ms pro-grade UPS for precision devices</li><li>– 600W rated output and 1200W Boost</li><li>– Up to 2× runtime for light-wattage appliances</li><li>– Expandable up to 858Wh with a wire-free connection to an added battery</li><li>– Compact and lightweight</li><li>– 1-hr fast charging, no battery damage</li><li>– Up to 220W fast solar charging</li><li>– &lt;30 dB whisper quiet for 24/7 use</li></ul> -LifePO4 battery, 268800mAh, 3000+ cycles, Package Includes <ul style="list-style-type: none"><li>• power station base unit</li><li>• Expansion Extra Battery</li><li>• AC charging cable</li><li>• Car charging cable</li><li>• Generator charging cable</li><li>• User manual</li><li>• Bag</li><li>• 60w Portable Foldable Solar Panel</li><li>• solar charging cables/adapters</li></ul> Inclusive of 1 year aftersales warranty for parts, services for on-site support		
		DATE OF DELIVERY: within 30 DAYS from the date of Notice To Proceed; monthly roaming services shall be activated upon delivery and shall be delivered every month thereafter until December 31, 2025. Note: Payment for the roaming services rendered by the supplier may be made on a monthly (every 30 - 31 days, whichever is applicable for the month covered) basis or upon completion of the three month roaming services, at the option of the supplier. The third month of roaming services shall cover December 31, 2025 until the 30 day period for the third month is exhausted.		
		***nothing follows***		

**TOTAL PRICE IN WORDS:** \_\_\_\_\_

We undertake, if our Proposal is accepted, to deliver the goods as identified in the Technical Specification and in accordance with the Schedule of Requirements.

Until a formal Contract is prepared and executed, this price quotation, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

However, we understand that you are not bound to accept the lowest or any Quotation you may receive.

Dated this \_\_\_\_\_.

\_\_\_\_\_  
Name / Signature/ Designation / Capacity

Duly authorized to sign Quotation for and on behalf of:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Company / Address / Contact No



Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora  
Contact No.: (042) 724-9190  
Email Address: aurora@deped.gov.ph  
Official Website: www.deped-aurora.com

**“SDO Aurora: Beaconing the Horizon”**



Republic of the Philippines  
**Department of Education**  
Region III  
SCHOOLS DIVISION OF AURORA

**TERMS AND CONDITIONS:**

1. Bidders shall provide correct and accurate information required in this form.
2. Bidders may quote for any or all the items.
3. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
5. Quotations exceeding the Approved Budget for the Contract (ABC) shall be rejected.
6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
8. The item/s shall be delivered according to the requirements specified in the Technical Specifications. Delivery shall be made only during regular office days from 8:00AM to 4:00 PM except for training conducted during during Saturdays and Sundays.
9. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e, order slip and/or billing statement, by the contractor thru Modified Disbursement System (MDS) Checks from Landbank of the Philippines.
10. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The DepEd Schools Division of Aurora shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
11. For procurement with ABC of less than Php50,000.00, only the **winning** bidder/supplier will receive a notification for the said procurement thru the email address or mobile phone number provided in this canvass form. For ABC of Php50,000.00 or more, **all** bidders/suppliers will receive notification as to the status of their quotation. Notifications will be done by the procuring entity **within five (5) working days** after the opening of bids/sealed quotations.



Address: So. Hiwalayan, Brgy. Bacong, San Luis, Aurora  
Contact No.: (042) 724-9190  
Email Address: [aurora@deped.gov.ph](mailto:aurora@deped.gov.ph)  
Official Website: [www.deped-aurora.com](http://www.deped-aurora.com)

***“SDO Aurora: Beaconing the Horizon”***